TaiShan
SINCE 1978

TAISHAN COMPANY 2024

GYMNASTICS BROCHURE

Taishan Sports

TaiShan Sports Bring Sports Enjoyment To The World

CATALOGUE

Shandong Taishan Sports Equipment Co.,Ltd

01 Taishan Sports

About us 02
Company info 03
FIG Approved 04

02 Gymnastics Series

Parallel Bars 07
Horizontal Bars 15
Ring Frame 20
Pommel Horse 25
Vaulting Table 31
Uneven Bars 39
Balance Beam 45
Artistic Floor 51
School Gymnastic 57
Trampoline 63
Happy Aymnastics 78
Ninja Series 85
Landing Mats 91

03 Event Cases

Events 100
Cases Design 103

01

TAISHAN SPORTS

Abouts us 02
Company info 33
FIG Certifications 34

About Us

Global Sports One Stop Solution Service

Zero Complaints

Taishan Sports has served more than 1,000 international and domestic top sports events including 6 Olympic Games and 3 Youth Olympic Games, which all achieved "Zero Complaints".

Zero Breakdown

As the world's top event service provider, excellent product quality is the strong backing of for Taishan Sports equipment to achieve "Zero Breakdown".

Zero Failure

Uphold the service level of "Zero Failure" and the value pursuit of "no small matters in the game", and build the world's leading sports brand.

Company Info

Taishan Sports is the national advanced collective of light industry, the national mass sports advanced unit, the national manufacturing single champion demonstration enterprise, the national sports industry demonstration unit, the deputydirector unit of the National Sporting Goods Standardization Technical committee, the china Sports, Educational and Sporting Goods Association fitness and sports equipment specialty. Committee director unit. It has been awarded the first place among the top ten of china's light industry sporting goods industry for many years. Has many national research and development platforms such as "National sports Goods Engineering Technology Research center", "National sports Goods Competitive Equipment Testing Laboratory", "National Industrial Design center", "Postdoctoral Research Station", etc. Undertook 2 national science and technolog support plans and 3 torch plans.

R&D Taishan Sports has participated in the formulation of more than 90 domestic and foreign industry standards, has nearly 1,000 full time and part-time R & D personnel, has obtained more than 1,000 domestic and foreign patents, and has more than 100 products that have passed the IAAF, FIG, FIBA Certification IJF, FIBA, WT, IWUF, FIFA. Relying on technologicalinnovation, Taishan sports has grown from reaching international standards to leading international standards, and has grown into a world sports industry and human health standard-setting company, with more international voice.

Qualifications

Official FIG Partner

2008 Beijing Olympic Games

The 11th National Games

The 16th National Games

2011 Shenzhen Universiade

The 8th Artistic Gymnastics Asian Championships

The 13th National Games

The 7th National City Games

The 45th Artistic Gymnastics world Championships

The 2nd Nanjing Youth Olympic Games

2017 Taipei Universiade

2018 Doha Artistic Gymnastics world Championships

2018 Doha Artistic Gymnastics world Championships

2018 Jakarta Asian Games

2019 Naples Universiade

The 1st Artistic Gymnastics Asian Youth Championship

The 1st Rhythmic Gymnastics Asian Youth Championship

FIG Certifications

We have the most of the FIG Certifications in China

02

GYMNASTICS SERIES

Parallel bars 07-16
Horizontal bars 15-19
Ring frame 20-24
Pommel horse 25-30
Vaulting table 31-38
Uneven Bars 39-44
Balance beam 45-50
Artistic floor 51-56
Club gymnastic 57-62
Trampoline 63-75
Happy aymnastics 78-84
Ninja series 85-90
Landing mats 91-98

Parallel bars

Horizontal bars

Ring Frame

Pommel Horse

Vaulting Table

Uneven Bars

Balance Beam

Artistic Floor

Club Gymnastics

Trampoline

Happy Gymnastics

Ninja Series

Landing Mat

Parallel Bars

Gymnastics series

Carbon-fiber Parallel Bar

New Composite Material

Model: JZ3016

- 1. Bar length: 350cm; bar material: fiberglass with wooden cover; vertical axis length: 5cm; horizontal axis length: 4cm.
- 2. The column is composed of 1 seamless steel pipe and 1 carbon fiber column by gluing process to ensure the coaxiality and stability of the column.
- 3. The lifting rod is made of special material, and the surface is specially treated to ensure the flexibility and rapid adjustment of the lifting process.
- 4. The base is rectangular steel pipe welded, stainless steel regulating pipe.
- 5. Height is adjustable between 160cm-210cm, with each increment of 5cm, with stepless adjustment between 42cm-62cm, distance between columns is 230cm. The lifting distance of the bars is (5±0.2)cm per gear.
- 6. 304 stainless steel inner adjustment tube and unique three-point locking device.
- Features: Ensures the safety using the equipment while increasing the bar surface flexibility. Overall stability of the parallel bars is guaranteed. And the surface adopts paint baking process (black).





Competition Parallel Bars

FIG Certifications

Model: TQ1001B

- 1. Bar length: 350cm; bar material: fiberglass with wooden cover; vertical axis length: 5cm; horizontal axis length: 4cm. The improved bar has a Patented built-in safety device which effectively prevents sudden injury and personal injury.
- 2. Each column is made of two seamless steel pipes riveted together through advanced thermal process to ensure stability.
- 3. Lifting rod is made of stainless steel, which is resistant to corrosion, with treated surface to ensure the flexibility of the lifting process. Each gear is clearly marked with quick adjustment.
- 4. The locking device handle adopts plastic-impregnated technology, which is extremely comfortable. The round nut is more secure and stable.
- 5. The base is welded with high-quality rectangular steel tubes, and the X-shaped design enhances the overall stability.
- 6. Height is adjustable between 160cm-210cm, with each increment of 5cm, with stepless adjustment between 42cm-62cm, distance between columns is 230cm.
- Features: Ensures the safety using the equipment while increasing the bar surface flexibility. Overall stability of the parallel bars is guaranteed. Surface is baking varnish (red, Pantone 1955c).
  Advantages: Anti-fracture surface, anticorrosion of metal parts, height and width adjustment can be completed in one step.



Rails

Name	Rails for Competition Parallel Bars	Rails for Training Parallel Bars	Rails for Children Parallel Bars
Model	TQ1001B.03	TQ2001.03	TQ2005.01.04
Specification	Length 350cm	Length 350cm	Length 170cm

Parallel Bars for Training

- Model: TQ2001A
  1. Bar length: 350cm; bar material: high quality fiberglass with wooden cover; vertical axis length: 5cm; horizontal axis length: 4cm.
  2. Height adjustment scope is 160cm-210cm, with each increment of 5cm. The distance between two bars: 42cm-62cm.
- Features: High safety and stability, strong elasticity of the bar surface. Surface is baking varnish (silver).
  Consists of bars, columns and the base, to ensure its overall stability.

Portable Parallel Bars for Training

- Model: TQ2001A/1
  1. Bar length: 350cm; bar material: high quality fiberglass with wooden cover; vertical axis length: 5cm; horizontal axis length: 4cm.
  2. Height adjustment scope is 160cm-200cm, with each increment of 5cm. The distance between two bars: 42cm -62cm with no adjustment.
- Features: High safety and stability, strong elasticity of the bar surface. Surface is baking varnish (grey). Consists of bars, columns and the base, to ensure its overall stability. The base is equipped with horizontal trimming device, which is suitable for uneven sites. Equipped with 4 moving wheels, which is easy to move.

Parallel Bars for Juvenile Training

- Model: TQ2002A
  1. Bar length: 270cm; bar material: high quality fiberglass with wooden cover; vertical axis length: 5cm; horizontal axis length: 4cm.
  2. Height adjustment scope is 120cm-170cm, with each increment of 5cm. The distance between two bars: 32cm-42cm.
- Features: Suitable for juvenile training. Surface is baking varnish (silver).
  Consists of bars, columns and the base, to ensure its overall stability.

Low Parallel Bars

- Model: TQ2004
  1. Bar length: 270cm; material: high quality fiberglass with wooden cover; vertical axis length: 5cm; horizontal axis length: 4cm.
  2. Distance between two bars: 32cm-52cm, adjustable; column vertical distance: 200cm.
- Features: The surface of the bars is spray-painted (silver). Consists of bars, columns and the base, to ensure its overall stability.

Multifunctional Parallel Bars

- Model: TQ2071
  1. Bar length: 350cm; bar material: high quality fiberglass with wooden cover; vertical axis length: 5cm; horizontal axis length: 4cm.
  2. For one bar , the height adjustment scope is 132cm -192cm, with each increment of 5cm. For the other, the height adjustment scope is 132cm-232cm, with each increment of 5cm. The distance between two bars: 39cm -59cm with no adjustment.
- Features: High safety and stability, strong elasticity of the bar surface. Surface is baking varnish (grey). Consists of bars, columns and the base, to ensure its overall stability. The base is equipped with horizontal trimming device, which is suitable for uneven sites. Equipped with 4 moving wheels, which is easy to move.

Parallel Bars Protection Bench

- Model: TQ2047
  Specification: Bench length is 255cm, width is 25.5cm
  Weight: 56kg
  Material: High quality red pine with eco-friendly varnished surface.

- Features: Parallel bars' assistant training equipment, suitable for junior practitioners, equipped with special adjustment locking handle, can quickly and easily adjust the height of the bench. Spray-painted surface (silver).Consists of bench surface ring, regulating tube and lifting frame.

Children Parallel Bars

- Model: TQ2003
  1. Bar diameter: 4cm; length: 170cm; material: high quality fiberglass with wooden cover.
  2. The lifting height is adjustable between 95cm-135cm, with the adjustment distance of 5cm, the width is 26cm-136cm with no adjustment.

- Features: The column is equipped with special locking and lifting handle, which can quickly adjust the height of bars. The column and base are connected by a special fastening device to guarantee quick adjustment of the distance between the bars.
  Surface is baking varnish (silver).Consists of bars, columns and the base, to ensure its overall stability.

The Parallel Bars Training Bag

Model	Bag Specification		
TQ2006	L 160cm	W 60cm	H 100cm
TQ2006/1	L 160cm	W 60cm	H 100cm

- Material: The infill is made of environment-friendly material. With increased overall elasticity, it can prevent athletes from getting hurt during training. The blocks are connected with velcro, which makes it very stable.

- Features: The square bag has strong elasticity to ensure the stability of the square bag. The column and the base are connected by the special fastening device. The distance between the square bags can be adjusted quickly. The surface of the metal frame is spray-painted (silver).Consists of bags, columns, base parts, to ensure the overall stability of the parallel bars.

Parallel Bars Cart

Model	TQ2048 (Apply to TQ1001)	TQ2048A (Apply to TQ1001B)
Specification	100cm×100cm×20cm	
Weight	7.5kg	

- Features: The overall structure adopts lever principle, which can easily achieve the removing of parallel bars, equipped with high load casters, ensuring its free movement and protection to the floor. Parallel bar transport tool. Frame is spray-painted (silver).

Horizontal Bars

Gymnastics series

Carbon-fiber Horizontal Bar

New Composite Material

Model: JZ1017

- 1. The bar surface is made of φ2.8cm with special elastic material , and there are rust-proof bars at both ends. The bar surface length is 240cm. Distance between the center of the pins at both ends of the bar: 240cm.
- 2. The column is spliced together with carbon fiber composite material.
- 3. The adjusting rod adopts the positioning pin, the adjustment is simple and quick, and ensures the flexibility of adjustment during use.
- 4. Tension cables are made of φ 0.6cm stainless steel wire with two Clamping bolt, quick adjustment of cable tension is achieved.
- 5. Lifting height: 275cm-295cm, lifting distance: 5cm, equipped with special locking system. Position size of embedded parts: horizontal 5500mm, vertical 4000mm.
- Features: The height adjustment is fast and convenient, the locking system is firm and stable, double tension system increases theoverall elasticity and stability, the enlarged circles of footholds disperse the pressure from athlete. And the surface adopts paint baking process (black).





Competition Horizontal Bar

*Model: TQ1002
1. The bar is made of elastic material with diameter of φ2.8cm, and bar length is 240cm.
2. Column is made of φ 6cm×0.4cm high-quality seamless steel pipe.
3. Adjusting rod is made of φ 5cm×1cm high-quality seamless steel pipe, with specially treated surface to ensure the flexibility during adjusting.
4. Tension cables are made of φ 0.6cm stainless steel wire with two Clamping bolt,quick adjustment of cable tension is achieved.
5. Height is adjustable between 270cm-300cm, with each increment of 5cm and special locking system.

*Features: The height adjustment is fast and convenient, the locking system is firm and stable, double tension system increases theoverall elasticity and stability, the enlarged circles of footholds disperse the pressure from athlete. Used for competition andtraining. Surface is baking varnish (red, Pantone 1935c). The overall weight is 80kg. Consists of bar, columns and steel wire.

Horizontal Bar Rail

Name	Competition Horizontal Bar Rail	Children Horizontal Bar Rail
Model	TQ1002-01	TQ2005-01-04
Specification	Length: 240cm φ2.8cm	Length: 170cm φ4cm

Ring Counterweight bracket

*Model: TQ1023A
Specification: Fixed distance of wire rope 400cm×550cm; weight of single counterweight is not less than 800kg.
Material: The counterweight is made of high-quality carbon steel, and the frame is welded with a square tube of 5cm×0.3cm.

*Features: Suitable for competitions without counterweights, the overall assembly structure is easy to move.

Detachable Children's Horizontal Bar

*Model: TQ2008/3
Weight: 45kg
Specification: Bar length 130cm, bar diameter 4cm, the height is adjustable between 90cm and 150cm, and 5cm increments.
Bar material: High-quality fiberglass with wooden cover.

*Features: The structure is dismountable, which is convenient for transportation and increases structural stability. The column is equipped with a special locking lifting handle, which can quickly adjust the bar height. The column and the base are connected by a special fastening device to quickly adjust the position of the bar. The surface is spray-painted.
Consisting of four parts: bar, column, base and regulating tube, ensuring the overall stability of the bar.

Horizontal Bar Protection Bench

*Model: TQ1034
Specification: The support platform is 100cm long and 45cm wide.
Weight: 20kg

*Features: With a special adjustment locking handle, it can quickly and easily adjust the height of the support platform.Assistant equipment for horizontal bar practitioners. Frame is spray-painted (silver).
Consists of 4 parts: support platform, lifting pipe, framework and base.

Horizontal Bar for Kids (A)

- Model: TQ2008
  Specification: Bar diameter: 4cm; length: 170cm.Height adjustment scope is 135cm-195cm, with each increment of 5cm.
  Bar material: High-quality fiberglass with wooden cover.

- Features: The column is equipped with special locking lifting handle, which can quickly adjust the bar height. The column and base are connected by a special fastening device that can quickly adjust the bar's position. The surface is spray-painted (silver).
  Consists of bar, column, base and adjusting tube, to ensure the overall stability.

Multi-function Horizontal Bar

- Model: TQ2007
  1. Bar diameter: φ2.8cm; length: 240cm.
  2. Outer casing is equipped with a special locking lift handle, ear plate structure designed to ensure the rapid replacement of rail during training.
  3. Tension system is made of φ0.6cm stainless steel wire equipped with rope tightening device to achieve quick adjustment.
  4. Height adjustment scope: 90cm-280cm.

- Features: Height adjustment is not limited by the rope system; quick and easy adjustment; the base of the feet can sufficiently disperse the maximum impact of athletes.
  Consists of 5 parts: bar, columns, base, adjusting tube and tension system, to ensure the overall stability.

Ring Frame

Gymnastics series



Carbon-fiber Ring

New Composite Material

Model: JZ1012

- 1. Height: 580-595cm adjustable, distance between two columns is 346cm and distance between two rings is 50 cm. Covering floor area: 400cm×550cm.
- 2. The ring is made of composite wood with strong moisture absorption and water absorption. The height of the ring from the ground can be adjusted between 280cm-295cm, and the lifting distance is 2.5cm. Inner diameter of ring: φ18cm; Ring solid section diameter: φ2.8cm, two ring center distance: 50cm.
- 3. The crossbeam is made of carbon fiber composite material, with special built-in rubber spring device, the absorbing effect is significantly enhanced.
- 4. The column is spliced together with carbon fiber composite material, which increases the strength and plays a stable role.
- 5. The lifting rod adopts positioning pin to ensure the flexible lifting performance. The lifting distance is 2.5cm.
- 6. The tension system adopts φ0.6cm stainless steel wire rope, equipped with 4 fast tightening blocks, so that the tension of the rope is quickly completed.

- Features: The ring is connected to the elastomer system through a special steel cable, and the two rings are stressed evenly, so that the buffering effect reaches the best level, protecting the athletes' hand joints from damage, increasing the circular bottom pad can disperse the pressure brought by the maximum impact force, and double the tension system enhances the overall stability. And the surface adopts paint baking process (black).



Ring Frame

- Model: TQ1006B
  1. Height:611 cm, distance between two columns is 314cm and distance between two rings is 50 cm.
  2. Made of composite wood material, the rings have a strong hydroscopicity. Height is adjustable between 270cm-300cm, with increment of 5cm.
  3. The crossbeam is made of high quality welded 12cm×8cm tube, with special built-in rubber spring device, the absorbing effect is significantly enhanced.
  4. The columns are welded by high quality 8cm×8cm×0.2cm and 5.5cm×7.5cm×0.2cm square tube, strengthen improved for better stability.
  5. The lifting rod is made of 7.5cm×5.5cm steel tube. With special treatment on tube surface, the lifting flexibility is greatly improved, with increment of 5 cm.
  6. Equipped with φ0.6cm stainless steel cable and 4 tighteners, the tension system can realize the rope tension quickly.

- Features: Attached to the rubber spring system by special steel cable, the rings can be stressed uniformly and then make the buffer action reach an optimal level, to prevent injury of hand joints. The enlarged round foot pad can disperse pressure caused by maximum impact forces, double tension system can strengthen the stability. Surface in baking varnish (red, Pantone1955c).

  Advantages: The ring is anti-fracture, strong sweat and moisture absorption.



Training Ring

- Model: TQ1050A
  1. Overall height: 580cm; distance between the two columns: 315cm; distance between two ring loops is 50cm.
  2. The ring loop is made of composite wood with good moisture absorption; ring height adjustment range is 80cm-270cm with no adjustment.

- Features: The ring ring is connected to the column by stainless steel wire rope, cowhide ring belt. The two rings are evenly stressed to achieve the best level of cushioning, protect the athlete's hand from injury, and the larger foot pad disperses the maximum pressure brought by the movement, the double tension system enhances the overall stability, and the surface is spraypainted (silver).

  The whole is composed of five parts: a beam, a column, a ring, a rope, and a shock absorbing device.



Wall Ring

- Model: TQ1033
  1. Arm length: 180cm, rings' distance: 50cm.
  2. Rings are made of composite wood with good moisture absorption. Height adjustment scope from rings to the ground is 80cm-270cm, adjustable.

- Features: The rings are fastened to fixed device by stainless steel rope, leather and ring straps. The tensioning system strengthens its stability. Surface is spray-painted (silver).

  Consist of framework, fixed flange, rings, tension rope and damping device.



Ring Counterweight bracket

- Model: TQD125A
  Specification: Fixed distance of wire rope 400cm×550cm; weight of single counterweight is not less than 800kg.
  Material: The counterweight is made of high-quality carbon steel, and the frame is welded with a square tube of 5cm×0.3cm.

- Features: Suitable for competitions without counterweights, the overall assembly structure is easy to move.



Arm Strength Trainer for Ring

- Model: TQ2051
  Specification: 260cm×81cm×75/120cm
  Size of the sliding board: 70cm×34cm,
  Material: Covered with special fiber leather, inner is plywood board and high load sponge. Equipped with special rolling devices, which make it slide smoothly.

- Features: Smooth sliding, flexible height adjustment, and stable standing. Surface is spray-painted (silver).
  Consist of sliding platform, framework, lifting tube, columns and ring devices.



Gymnastics Ring for Kids

- Model: TQ2052
  1. Ring diameter: 16cm; ring material: composite wood with good moisture absorption.
  2. Ring height adjustment is 115cm-145cm, with each increment of 5cm.

- Features: The columns are equipped with special lifting locking handles, can adjust the rings height quickly. The columns and base are connected by special clamp devices, which strengthen the stability and safety. Surface is spray-painted (silver).
  Consists of crossbar, columns, base and rings, to guarantee its stability.

Ring Hook

- Model: TQ2090
  Specification: 1650mm × 64mm × 22cm, Hook φ0.6cm,Tube φ2.2cm
  Material: Aluminum Alloy

Ring Sling and Loop

- Model: TQ1008JL03
  Material: The ring loop is made of beech plywood, suspended on the shock absorbing bearing system stainless steel wire rope and cowhide ring strap.

Ring Cross Brace Trainer

- Model: TQ2054
  Specification: 53.4cm(length) × 17cm(width) × 10cm(height)
  Material: The elastic band adopts nylon rubber, and the wide elastic band is built in the framework. Medium elasticity makes arm touching comfortable; The framework is welded by high-quality carbon steel tube and hooks, equipped with special hanging devices.

- Features: The auxiliary exercise equipment of rings, can build up one person's arm and wrist strength effectively, special fastening devices can protect the athletes from hand joint injuries, and hanging devices strengthen the stability. Surface is spray-painted (silver).
  Consist of framework, fixed flange, rings, ropes and damping device.

Ring Protection Bench

- Model: TQ2052
  Specification: The support platform is 80cm in length and 50cm in width; With a special adjustable locking handle, it can quickly and easily adjust the height of the support platform.

- Features: Assistant equipment for ring practitioners. The surface is sprayed with plastic (silver).
  Consists of 4 parts: Support platform, lift pipe, framework and base.

Pommel Horse

Gymnastics series

Carbon-fiber Pommel Horse

New Composite Material

Model: ZJ3013

- 1. The surface of the pommel horse is covered with a special cowhide. The inner tube is made of wood. It is molded at one time by high temperature molding. The upper part is glued with high bearing sponge. The overall length of the horse is 160cm, the upper width is 35cm, the lower width is 30cm, and the height is 28cm.
- 2. The column is made of carbon fiber composite material, and the column protective cover is required during the competition (need to order separately).
- 3. The lifting rod uses the positioning pin, the adjustment is simple and quick, which increases the adjustment flexibility.
- 4. The curved base part is molded by high-quality rectangular tube and equipped with 4 moving wheels.
- 5. Ring height: 12cm; body height is adjustable between 110cm-130cm with each increment of 5cm. Inner distance of ring: 374mm-482mm adjustable. The lifting distance of the body is (5±0.2)cm per gear.
- 6. The size of the main bearing parts: the main pipe is made of carbon fiber composite material, and the inner regulating pipe is made of 80×60×4mm steel pipe with chrome plating anti-rust treatment; Removable casters and floor protection at the bottom.
- Features: Special cowhide to ensure moisture absorption, high bearing sponge and molded inner tube to increase the effect of suction, to avoid athletes long-term use of joint damage. The integrated moving casters save the handling time, and the surface adopts paint baking process (black).



Chengdu Makes Dre

Competition Pommel Horse

- Model: TQ1004B

1. The surface of the pommel horse is covered with a special cowhide. The inner tube is made of wood. It is molded at one time by high temperature molding. The upper part has a high quality flexible layer. The overall length of the horse is 160cm, the upper width is 35cm, the lower width is 30cm, and the height is 28cm.
2. Columns are welded 7.5cm×12.5cm high quality rectangular tube.
3. Lifting rods are made of 5cm×10cm high quality rectangular tube with treated surface to increase the flexibility.
4. The curved base part is molded with high quality rectangular tube and equipped with 4 moving wheels.
5. Ring height: 12cm; body height is adjustable between 95cm-125cm with each increment of 5cm.

- Features: The special leather used by the new pommel horse increases the frictional resistance, and the change of the horse shape is more conducive to the athletes' performance. It is suitable for professional competition and training. The surface is baked (red, Pantone 1935c).

Weight: 78kg.

Consists of rings, body, columns and the base. Protective padding for competition available (optional).

Training Pommel Horse

- Model: TQ1024

1. Surface of Pommel horse is covered with special fiber leather, and the built-in body is molded by high temperature molding. Whole length:160cm; upper width: 35cm; bottom width: 30cm; height: 28cm.
2. Ring height: 12cm; distance between rings:40-45cm, adjustable; overall lifting height of the pommel horse to the ground is adjustable between 95cm-125cm, with each increment of 3.5cm.

- Features: high load sponge and transverse pressure infill increase shock-absorbing effect, to avoid joint damage of the athletes caused by long-term exercise. Surface is spray-painted (silver).

Consists of ring, horse body, base and column.

Full Rotation Mushrooms Trainer

- Model: TQ1029

1. The surface of mushroom is covered with special fiber leather, the mushroom body is high temperature molded, the upper part has a flexible layer and the diameter of the mushroom is 60cm.
2. The rotary table has a specially processed flexible layer, and surface is covered with specialized fiber.

- Features: Increased rotation platform provides more support area for athletes; one-piece plastic mushroom increases the overall flexibility and stability. Surface is spray-painted (silver).

It consists of mushroom head, rotating platform, column and base.

Adjustable Mushroom Trainer

- Model: TQ1026

1. The surface of the mushroom is coated with special fibrous leather. The mushroom body is shaped by high temperature molding, and the upper part has a flexible layer. Diameter of the mushroom head: 60cm.
2. Mushroom lifting height is adjustable between 30cm-75cm, with each increment of 5cm.

- Features: Integrated plastic mushroom head body increases the overall flexibility and stability. Three special feet and one special rubber tuning device effectively protect the floor and can meet any rugged sitesThe surface is spray-painted (silver). Consists of mushroom head, adjusting pipe and the base.

Pommel Horse Components

- Model: TQ1004-02（Apply to TQ1004、TQ1004B）

Low Pommel Horse (A)

- Model: TQ2023
  1. Pommel horse surface is covered with special fiber leather, and the built-in body is molded by high temperature molding. Whole length:160cm; upper width: 35cm; lower side width: 30cm; height:28cm.
  2. The base is multilayer laminated board, with good overall elasticity and stability.
  3. Ring height: 12cm; distance between rings: 40-45cm, adjustable; overall height of the pommel horse to the ground: 37cm.

- Features: Wooden bow base increases the overall flexibility and stability. The surface is spray-painted (silver).
  Consists of rings, horse body and wooden base.
  It consists of mushroom head, rotating platform, column and base.

Low Pommel Horse (B)

- Model: TQ2043
  1.The horse body is covered with special fiber leather, and the inner part is one-step molded. The top is adhered with flexible layer. Body length:160cm; top width: 34.2cm; height: 16.6cm.
  2. Loop distance: 40cm-45cm, continuously adjustable. Lifting height (to the ground): 30cm-65cm, with each increment of 5cm.

- Features: Shock absorption is increased by the infill, which can avoid athletes' joint damage caused by longterm training. Equipped with a quick locking adjustment device to realize quick height adjustment. The surface is spray-painted (silver).
  Consist of loops, horse body, lifting rod and base.

Single Ring Mushrooms Trainer

- Model: TQ2027
  1. The surface of the mushroom is coated with special fiber leather. The mushroom body is shaped by high temperature molding, and the upper part has a flexible layer. The diameter of the mushroom head is 60cm.
  2. Pommel ring height is 12cm, mushroom height is adjustable between 50cm-70cm, with each increment of is 5cm.

- Features: Integrated plastic mushroom body increases the overall flexibility and stability. Three special feet and one special rubber tuning device effectively protect the floor and can meet any rugged sites. The surface is spray-painted (silver).
  It consists of mushrooms head, adjusting pipe, base and pommel ring.

Double Ring Mushrooms Trainer

- Model: TQ2028
  1. The surface of the mushroom is covered with special fiber leather, the mushroom body is molded by high temperature molding, the upper part has a flexible layer and the diameter of the mushroom is 60cm.
  2. Equipped with pommel horse rings, two ring spacing is adjustable; mushroom height is adjustable between 50cm-70cm, with each increment of 5cm.

- Features: Integrated plastic mushroom body increases the overall flexibility and stability. Three special feet and one special rubber tuning device effectively protect the floor and can meet any rugged sites. Surface is spray painted (Silver).
  It consists of mushrooms head, adjusting pipe, base and pommel ring.

Mushrooms Trainer (A)

- Model: TQ2080
  Material: The surface of the mushroom is coated with special fiber leather, one-step molded The diameter of the mushroom head is 100cm.

- Features: Integrally welded base increases the overall stability. Frame is spray-painted (silver).
  Consists of mushroom head and base.

Mushrooms Trainer (B)

- Model: TQ2033
  1. The surface of mushroom is coated with special fiber leather, and the mushroom head is one-step molded. The diameter of mushroom head is 60cm.
  2. Mushroom head height: 46.3cm.

- Features: The injection-molding mushroom head increases the overall elasticity and stability. Happy gymnastics equipment for children.
  Consists of mushroom head, column and base.

Pommel Horse Moving Balance

- Model: TQ2073
  1. The whole consists of steel plates,easy for moving and appropriate for field without anchor.
  2. Weight: 100kg

Protection Cover for Pommel Horse

- Model: TQ2058（apply to TQ1004、TQ1004B）
  Features: Material with carpet especially for Gymnastics.
  Colors are selectable.

Vaulting Table

Gymnastics series

Carbon-fiber Vaulting Table

New Composite Material

Model: JZ1015

- 1. The length of the body is 120cm, the width is 95cm, the inner tube is made of a strong multi-layer plate molded at high temperature, the upper surface is bonded with a special shock-absorbing material, and the special material is coated, and the movement area and the warning area are clearly distinguished. The horse body is made of EV50, natural rubber particles and microfiber leather covering eature, and the design of 3° micro-elevation Angle is easier to aim at the target.
- 2. The outer casing tube of the column is made of composite material to ensure the use strength; The inner column is welded with high quality steel plate, and the surface is specially treated to ensure the flexibility of lifting.
- 3. The overall lifting height is adjustable between 110cm-140cm, and the lifting distance is 5cm.
- Features: The tongue-shaped platform effectively avoids accidental injuries to athletes, the once-formed middle protective column increases the overall safety, and the surface adopts paint baking process (black).

  Weight: 142kg, the whole is composed of four parts: horse body, column, protective cover and locking system.





Vaulting Table

- Model: TQ1003B
  1. Length: 120cm, width: 95cm. The body is made of fiberglass reinforced composite material, the upper surface is bonded with special shock-absorbing material and wrapped in special material, The performing area and warning area are clearly distinguished.
  2. Column is made of 0.5cm high quality steel tube, with treated surface to ensure flexibility of adjustment. Multifunctional locking device: counter-clockwise rotation to separate inner and outer columns, pulling the safety knob to move the table, and loose it to release automatic locking.
  3. Base is welded high quality steel plate, equipped with four special rubber trimmer, to protect the floor and apply to any uneven ground.
  4. The overall lifting height is 105cm-135cm, which can be adjusted with each increment of 5cm.

- Features: Tongue shaped platform prevents injury, and one- step molded central column increases overall safety. There are 0.1cm high finetuning devices on each leg to ensure easy leveling adjustment of the 4 legs. Usually adjusting only one leg can realize the whole leveling. Surface is baking varnish (red, Pantone 1935c).
  Advantages: One-stop making process increases the overall stiffness, the friction coefficient of the surface is increased, easy absorption of magnesium powder, The flexible layer increases the elasticity, which is conductive to the athletes' performance.



Track

- Model: TQ1043
  Specification: 2500cm×100cm×2cm
  Material: Made of XPE and carpet by heat-sealing.



Sponge Square Bag for Vaulting Table

- Model: TQ2325/1
  Specification: 130cm×95cm×95cm
  Weight: 38kg
  Material： XPE infill and high bearing sponge
  Features: Assisting vaulting training, suitable for starters.



Vaulting Table Moving Counterweight

- Model: TQ2086
  1.The whole consists of steel plates, easy for moving and appropriate for field without anchor.
  2. Weight: 170kg

Vaulting Folding Board

- Model: TQ2005A
  Specification: 440cm×100cm×2.5cm
  Material: Composite birch wood, carpet especially for gymnastics, non-skid surface.

Vaulting Table for Training

- Model: TQ2022A
  1.Length: 120cm, width: 95cm, Glass fiber molding. The upper layer is bonded with shock absorbing material which has obvious buffering effect. The performing area and warning area are clearly distinguished.
  2.The overall lifting height is 110cm-135cm, which can be adjusted with each increment of 5cm.

- Features: Tongue shaped platform prevents injury, and central column is one-step molded. The overall safety is improved, has obvious moisture absorption and antislip effect. The metal parts adopt electrostatic spraying technology, standard color is silver but selectable.

U Mat II

- Model: TQ2040/1
  Specification: 120cm×101cm×22/10.8cm
  Material: PVC material cover, infill in XPE and sponge.
  Features: Good stability, easy for installation, comfort surface, appropriate elasticity. Mainly used for springboard sports protection.

U Mat II (New Shape)

- Model: TQ2036
  Specification: 140cm×120cm×22/3cm
  Material: PVC material cover, XPE infill.
  Features: Good stability,easy for installation, comfort surface, appropriate elasticity. Mainly used for springboard sports protection.

Vaulting Table Base Pad

Model	Specification
TQ2047 (Apply to TQ1005)	100cm×100cm×20cm
TQ2047A (Apply to TQ1005B)	

- Material: PVC material cover, eco-friendly XPE infill.
  Features: Good stability, easy to assemble, soft surface, appropriate flexibility. Mainly used for competition and training of Vaulting.

Hand Pad

- Model: TQ1561
  Specification: 120cm×100cm×3cm
  Material: Horse leather material cover, XPE inner core.
  Features: Eco-friendly, good stability, easy to install, soft surface, good for bearing.

Tapeline

- Model: TQW0527
  Specification: 30m long dip stick specialized for vaulting track.

Start Marker for Vaulting Table

- Model: TQ2095
  Specification: 100cm×5cm×5cm
  Material: Wooden
  Features: With Velcro straps on the bottom.



Soft Springboard (5 springs)

- Model: TQ1010B
  Specification: 120cm×60cm×22cm
  Material: Multi-layer fiberglass reinforced composite board covered with grey non-woven carpet, glue 2cm high elastic rubber plastic sponge, of good shock absorption effect. The springboard is precisely positioned by 5 conical springs of different heights, with anti-falling device equipped to the base. The base of the springboard is made of high-temperature molding 2cm thick multilayer birch wood with special anti-skid pad at the bottom.

- Features: The new springboard increases impact resistance and shock absorption effect. The newly modified anti-skid system is more conductive to the exertion of athletes' difficult performance, suitable for professional competition and training.
  Advantage: Anti fracture, long service life, convenient for transportation.



Hard Springboard (8 springs)

- Model: TQ1011B
  Specification: 120cm×60cm×22cm
  Material: Multi-layer fiberglass reinforced composite board covered with grey non-woven carpet, glue 2cm high elastic rubber plastic sponge, of good shock absorption effect. The springboard is precisely positioned by 8 conical springs of different heights, with anti-falling device equipped to the base. The base of the springboard is made of high-temperature molding 2cm thick multilayer birch wood with special anti-skid pad at the bottom.

- Features: The new springboard increases impact resistance and shock absorption effect. The newly modified anti- skid system is more conductive to the exertion of athletes' difficult performance, suitable for professional competition and training.
  Advantage: Anti fracture, long service life, convenient for transportation.

Soft Springboard (5 springs) for Training

- Model: TQD097
  Specifications: 120cm×60cm×22cm
  Material: The surface is covered with tufted carpet, equipped with five metal springs, rubber and plastic buffer layer, and the rebound effect is excellent.
  Color: The standard color is blue.

Hard Springboard (7 springs) for Training

- Model: TQD096
  Specifications： 120cm×60cm×22cm
  Material: The surface is covered with tufted carpet, equipped with seven metal springs, rubber and plastic buffer layer, and the rebound effect is excellent.
  Color: The standard color is blue.

Uneven Bars

Gymnastics series

Competition Uneven Bars

Model: TQ0003B

- 1. Rail diameter 4cm, rail length 240cm, made of high quality fiberglass wrapped by beech veneer.
- 2. The columns are made of φ5cm×0.35cm high-quality seamless steel pipe, equipped with special locking&lifting system.
- 3. The base is made of 12cm×6cm×0.3cm flat oval high-quality steel pipe, equipped with 4 special rubber pads to increase the friction with the floor.
- 4. The regulating rod is made of φ4.2cm×0.8cm high-quality seamless steel tube with special surface treatment, add auxiliary height adjustment handle, which makes the lifting adjustment fast and flexible.
- 5. The tension system is made of φ0.6cm stainless wirerope, equipped with 2 quick tensioning blocks, which can adjust the tension of the rope quickly.
- 6. The height of the low rail is 165cm-195cm, high rail 245cm-270cm, adjustable by each 5cm. The distance between two rails is 110cm-185cm steplessly adjustable.

- Features: The rails made by special technology is conducive to the athletes' exertion of difficult performance. Optimize the position of tension ropes to realize the height adjustment of the rails without adjusting the length of the tension ropes and ensuring stability. Add the height adjustment handle and height indication for easy adjustment. Optimize the base, improve the structural rigidity and increase the aesthetics, suitable for professional competition and training. The surface treatment adopts baking paint technology (red, Pantone 1955c).
Composed of rails, columns, base and tension ropes.



Training Uneven Bars (A)

- Model: TQ2010
  1. Rail diameter 4cm, rail length 240cm, made of high quality fiberglass wrapped by beech veneer.
  2. The tension system is made of φ5.0cm stainless steel wirerope, equipped with 2 quick adjustment devices, make the tension of tension ropes can be finished quickly.
  3. The height of the low rail is 155cm-185cm, high rail 205cm-235cm. The distance between two rails is 110cm-183cm steplessly adjustable.

- Features: The rails made of special technology is conducive to the athletes' exertion of difficult performance. The special locking&lifting system saves time for height adjustment during training and competition. The wider base increases the overall stability. Powder coating technology is adopted for the surface treatment(silver).
  Composed of rails, columns, base, regulating rods and tension ropes.

Training Uneven Bars (B)

- Model: TQ2011
  1. Rail diameter 4cm, rail length 240cm, made of high quality fiberglass wrapped by beech veneer.
  2. The height of the low rail is 155cm-185cm, high rail 205cm-235cm. The distance between two rails is 110cm-183cm steplessly adjustable.

- Features: Fix the columns with the connection device of diagonal brace, so that the equipment is not limited by the site and floor hooks. Equipped with movable castor. The wider base increases the overall stability. Powder coating technology is adopted for the surface treatment(silver).
  Composed of rails, columns, base, regulating rods and diagonal braces.

Uneven Bars for Children

- Model: TQ2012
  1. Bar diameter: 4cm; length: 170cm; material: high quality glass reinforced plastic with wooden cover.
  2. Height adjustment of low bar: 95cm-135cm; height adjustment of high bar: 135cm-195cm with each increment of 5cm. The distance between two bars: 26cm-130cm, stepless.

- Features: The column is equipped with special locking lifting handle, which can quickly adjust the height of bars. The column and base are connected by a special fastening device that can quickly adjust the distance between the bars. The surface is spray-painted (silver).
  Consists of bars, columns and the base, to ensure the overall stability.

-

Name	Rails for Children Uneven Bars
Model	TQ2003.01.04
Specification	Length 170cm φ4cm



Low Horizontal Bar (A)

- Model: TQ2013
  1. Bar diameter: 4cm; length: 240cm; material: high quality glass reinforced plastic with wooden cover.
  2. Tension system is made of φ5.0cm stainless steel wire, equipped with quick tightening device to guarantee quick tension adjustment.
  3. Height adjustment: 145cm-255cm.

- Features: High stability and safety, better rail elasticity, tension system ensures the overall stability of the bar. The surface is spray-painted (silver).
  Consists of bar, columns, base, and tension system, to ensure the overall stability.

Low Horizontal Bar (B)

- Model: TQ2014
  1. Bar length: 240cm; Bar diameter: 4cm; material: high quality glass reinforced plastic with wooden cover.
  2. Larger chassis is equipped with non-slip rubber pad.
  3. Height: 41cm.

- Features: Larger chassis enhance the overall stability of the equipment. The surface is spray-painted (silver).
  Consists of bar, columns and the base, to ensure the overall stability.

Uneven Bars Protection Bench

- Model: TQ2049
  Specification: The platform is 100cm long and 45cm wide.
  Weight: 30.5kg
  Material: The supporting platform surface is covered with special fiber leather. The built-in body is high strength plywood, and the upper part is affixed with high load-bearing sponge. It is equipped with a special adjustment lock handle, which can adjust the height of the support platform quickly and easily.

- Features: Special fiber leather ensures moisture absorption. the inside high load-bearing sponge increases shockabsorbing effect and overall comfort. It is suitable for uneven bars junior practitioners. Frame is spray-painted (silver).
  Consists of 4 parts: supporting platform, lift pipe, framework and the base.

Elastic Handstand Rotation for Training

- Model: TQ2015
  Specification: Bar length: 170cm; Bar diameter: 4cm. The height of bar is adjustable from 95cm to 135cm, the width of bar between elastic parts is stepless.
  Material: High quality glass reinforced plastic with wooden cover. Elastic components are rubber band with high loadbearing sponge, covered with PU leather, bonded by Velcro, with good overall elasticity.

- Features: The column is equipped with special locking lifting handle, which can quickly adjust the bar height. The column and base are connected by a special fastening device that can adjust quickly the distance between the elastic parts and the bar. The surface is spray-painted (silver).
  Consists of bars, elastic part, columns and the base, ensure the overall stability.

Palm Glove

- Model: TQW0529
  Specifications: Small (Palm length 9-10cm), medium (Palm length 10-11cm), large (Palm length 11-12cm).
  Material: Full grain leather.
  Features: Anti-slip and wear-resistant, used for wrist and palm protection in gymnastics and horizontal barsexercise.

Name	 Bar Protection	 Bar U Protection
Model	TQ2756	TQ2757
Specification	Length 140cm, outer diameter 11cm, inner diameter 5cm.	Length 140cm, height 10cm, inner diameter 5cm.
Material	Infill with high load-bearing sponge, surface with PVC warp knitting fabric	
Colors	Customized	
		Applicable for horizontal bar, parallel bar and uneven bar.



360° Tossing Bracket

- Model: TQ2016
  1. Overall height: 648cm-670cm,adjustable by each 2.5cm; distance between two columns: 240cm; belt lifting height can be adjusted.
  2. The leather belt is equipped with a rotating devicehanging on the top of the frame by nylon rope.
  3. The pull system is made of φ0.6cm diameter stainless steel rope, which is equipped with quick rope tightening device to guarantee quick rope tensioning.

- Features: The leather belt rotating device hanging on the frame top can reach the ground through the pulley, which will protect athletes from getting injuries when doing the movements. The big mat can disperse pressure from movement. The pull system enhances the overall stability.The surface is spray-painted (silver). It consists of 5 parts: beams, columns, belt parts, base and rope.



Standard Uneven Bars Counterweight Bracket

- Model: TQ2018A
  Specification: The fixed distance of wire rope is 400cm×330cm; the weight of single counterweight is not less than 800kg.
  Material: The counterweight is made of high quality carbon steel, and the frame is made of welded square tube 5cm×0.3cm.
  Features: Suitable for weightless venues. The overall assembly structure makes it easy to move.

Balance Beam

Gymnastics series

Carbon-fiber Balance Beam

New Composite Material

Model: TQ1003B

- 1. Rail diameter 4cm, rail length 240cm, made of high quality fiberglass wrapped by beech veneer.
- 2. The columns are made of φ5cm×0.35cm high-quality seamless steel pipe, equipped with special locking&lifting system.
- 3. The base is made of 12cm×6cm×0.3cm flat oval high-quality steel pipe, equipped with 4 special rubber pads to increase the friction with the floor.
- 4. The regulating rod is made of φ4.2cm×0.8cm high-quality seamless steel tube with special surface treatment, add auxiliary height adjustment handle, which makes the lifting adjustment fast and flexible.
- 5. The tension system is made of φ0.6cm stainless wirerope, equipped with 2 quick tensioning blocks, which can adjust the tension of the rope quickly.
- 6. The height of the low rail is 165cm-195cm, high rail 245cm-270cm, adjustable by each 5cm. The distance between two rails is 110cm-185cm steplessly adjustable.

- Features: The rails made by special technology is conducive to the athletes' exertion of difficult performance. Optimize the position of tension ropes to realize the height adjustment of the rails without adjusting the length of the tension ropes and ensuring stability. Add the height adjustment handle and height indication for easy adjustment. Optimize the base, improve the structural rigidity and increase the aesthetics, suitable for professional competition and training. The surface treatment adopts baking paint technology (red, Pantone 1955c).
Composed of rails, columns, base and tension ropes.





Balance Beam

- Model: TQ1007B

1. Beam length is 500cm, top width is 10cm, and height is 16cm. Inner tube is made of aluminum alloy material. Adhered with high-density rubber sponge on the top and covered with special fiber leather and hygroscopic material, for better damping effect.
2. The columns are welded with high-quality steel tubes of 5cm×10cm and 4cm×0.4cm. The 2 oval-shaped special locking systems make it much convenient for the height adjustment.
3. Height adjustment scope is 70cm-125cm, with each increment of 5cm.
4. Four trimmers are equipped at the bottom of the supporting leg, which can meet the adjustment needs in different circumstances and increase the stability at the same time.
5. The elliptical supporting tube is covered with one-step molding sleeve, which is good looking and make it safer to use.

- Advantages: The optimized beam surface is softer and increases the coefficient of friction. The optimized flexible layer is much conductive in absorbing vibrations while ensuring good support. The added fine-tuning of level effectively ensures the level of equipment, which is conducive to the athletes' performance. It is suitable for professional competition and training use. The surface is baking varnish (red, Pantone 1935c).

Upper Soft Mat for Balance Beam

- Model: TQ2109/1
  Specification: 100cm×46cm×2cm
  The cover uses microfiber leather +PVC diamond-shaped non-slip cloth, the inner uses XPE + high-quality sponge.

Name	Model	Beam Length	Upper Width	Height	Overall Height
Low Balance Beam (B)	TQ2019	500cm	10cm	16cm	40cm
3m Low Balance Beam (B)	TQ2019/1	300cm	10cm	16cm	40cm
2.5m Low Balance Beam (B)	TQ2019/2	250cm	10cm	16cm	40cm

- Features: The beam is covered with special fiber leather and hygroscopic material, with better damping effect. Special rubber damping system increases the overall flexibility of the beam, the plum-shaped handle can adjust the distance between two legs quickly, fast and tight locking, and pre-formed foam and block can maximize the protection of the athletes from injury.



Name	Model	Beam Length	Upper Width	Height	Overall Height
Low Balance Beam	TQ2011	500cm	10cm	16cm	25cm
3m Low Balance Beam	TQ2011/1	300cm	10cm	16cm	25cm
2.5m Low Balance Beam	TQ2011/2	250cm	10cm	16cm	25cm

- Material: The upper end of the infill is stuck with high-density rubber sponge and covered with special fiber leather.
  Feature: The moisture absorbing surface provides good shock absorption.special rubber shock absorption system increases the overall elasticity of horizontal bar, fast and secure locking. Preformed foam and plugs maximize the protection of athletes from injury. Consists of horizontal bar and main frame.



Balance Beam for Training

- Model: TQ2017A
  1. Beam length is 500cm, top width is 10cm, and height is 16cm, covered with special fiber leather and hygroscopic material, with better damping effect.
  2. Height adjustment scope is 70cm-125cm, with each increment of 5cm.

- Features: Special rubber damping system increases the overall flexibility of the beam, the handle can quickly adjust the height of beam, fast and solid locking, and foam and block to maximize the protection of the athletes from injury. It consists of beam and main legs.

Name	Balance Beam Protection Cover	
Model	TQ2020	TQ1044
Material	XPE laminated gymnastics carpet	Cover: PVC woven fabric, inner:XPE material

Name	Soft Mat for Balance Beam	
Model	TQ2509	TQ2709
Specification	100cm×30cm×2cm	120cm×40cm×2cm

- Features: Good stability, easy to install, soft surface, appropriate flexibility, used with balance beam.

Multifunctional Mat for Balance Beam

- Model: TQ2009A
  Specification: 150×100×3.5cm
  Features: Used for auxiliary training of balance beam movements, using skin-friendly materials jacquard wire cloth and memory sponge, soft and comfortable (red, pink, green, yellow optional).

Soft Pad for Balance Beam

- Model: TQ2021
  Specification: Widened board length: 230cm, width: 20cm.
  Material: The top is stuck with high density rubber sponge, coated with special microfiber leather.
  Features: Special safety belt to be fixed on the balance beam surface, suitable for junior practitioners.



Cart for Balance Beam

- Model: TQ2079
  Features: The balance beam can be easily transferred, equipped with high load industrial casters, not only ensure that the equipment can move freely and to protect the site.

Artistic Floor

Gymnastics series

Artistic Floor B

Model: TQ0008B-F

- 1. Whole size is 1410cm×1410cm, competition area is 1200cm×1200cm, Diagonal length is 1697cm., There is a clear distinction between the competition area and the safety area. The surface is a blanket combination and the bottom is connected with a buckle.
- 2. The flexible layer is 5cm thickness XPE puzzle mat, the bottom has 84 laminate plates precisely according to the installation, 2303 spring composition, the surrounding belt weir, to achieve the best function.
- 3. Each set of standard site is equipped with multiple H-shaped profiles to connect the bottom plate together, and the tension webbing will lock each bottom plate firmly together, so that the whole site becomes one.
- Features: New spring damping system and high quality flexible layer have good cushioning performance, to ensure the best rapid resilience, suitable for professional competition and training use.







Artistic Floor D

- Mode: TQ1008D

1. The surface size is 1400cm×1400cm, the size of the competition area is 1200cm×1200cm, and the diagonal size is 1697cm. The competition area is clearly distinguished from the safety area.
2. The flexible layer is composed of EV30 material with a thickness of 6cm, which has obvious shock absorption effect and increased safety.
3. The bottom plate is made of 1.5cm high quality birch wood multi-layer board, the surface is made of high quality glass fiber by high temperature molding, and 2306 springs are precisely positioned to achieve the best function.
4. Each set of standard site is equipped with multiple H-shaped profiles to connect the bottom plate together, and a tension ribbon to firmly lock each bottom plate together, so that the whole site becomes one.

- Features: new spring damping system and high quality flexible layer have good cushioning performance, ensuring the best quick resilience, glass fiber floor to avoid the maximum impact caused by the breaking of wood, toughness and elasticity, suitable for professional competition and training use. The whole consists of spring, substrate, flexible layer (EV30) and blanket surface.

Advantages: High quality tufted carpet, increase the surface comfort. The new flexible layer increases elasticity and is more conducive to the performance of athletes' movements.

Rhythmic Floor

- Model: TQ1009R

1. Whole Size: 1480cm×1480cm; performance area size: 1300cm×1300cm includingfum wide demarcation line that distinguishes performance area and safety area. The surface is covered with velvet knitted carpet, with each roll being 1480cm×362cm, a total of 4 rolls. The bottom is connected by strong adhesive tapes.
2. The whole structure consists of 2 layers of 0.9cm high-quality plywood, and the upper layer is made up of 100 pieces of 122cm×122cm, 40 pieces of 122cm×61cm and 4 pieces of 61cm×61cm. The lower layer is made up of 121 pieces of 122cm×122cm. 3136 high quality rubber damping blocks are arranged at the bottom of the floor, positioned precisely to achieve the best performance.
3. The two boards are equipped with powerful buckle, the upper layer and the lower layer are staggered and fixed together, make the whole venue become one. High load-bearing sponge together with floor edge make the protected area more secure.

- Features: special foam vibration absorption effect is obvious; good cushion performance, anti-static and non-slip surface layer of the blanket help athletes to perform high difficulty movements. The whole body is composed of three parts: the bottom plate, the surface blanket, the highload bearing sponge edge floor. Weight: 2400kg. With optional sizes.



Rhythmic Gymnastics Measuring Table

- Model: TQ2098
  Specifications: 131cm×105cm×98cm
  Features: 1 electronic balance with 1g accuracy.
  The whole wooden surface is painted with highgrade environmental protection paint.



Rhythmic Gymnastics Hoop

- Model: TQ2098
  Specifications: 105cm×105cm×116cm
  Features: 1 electronic balance with 1g accuracy.
  The whole wooden surface is painted with highgrade environmental protection paint.

Rhythmic Gymnastics Ribbon

- Model: TQW0115 (Competition)
  TQW0115A (Training)
  Material: Ribbon and pole are made of FRP, the handle is made of pvc material.

Rhythmic Gymnastics Rope

- Model: TQW0117 (Competition)
  TQW0117A (Training)
  Material: Fine cotton and linen, length 3m

Rhythmic Gymnastics Stick

- Model: TQW0114 (Competition)
  TQW0114A (Training)
  Material: PP

Rhythmic Gymnastics Ball

- Model: TQW0118 (Competition)
  TQW0118A (Training)
  Specifications: φ18cm
  Weight: 0.4kg
  Material: Rubber and plastic

Aerobic Floor

- Model: TQ1170
  1. The sports area is square, the overall size is 1200cm×1200cm, the size of single area is 700cm×700cm, the size of double and triple area is 1000cm×1000cm (The black matt regular line is part of the competition area).
  2. The whole is composed of 100 high-density parquet floors. The height is 7.5cm. Each wooden floor measures 120cm×120cm.There are slightly color difference between each wooden unit, which will not have effect on performance.
  3. The bottom is provided with a quick rebounding shock absorbing material, which provides a good shock absorbing function for the venue (protecting the user's moving parts). The special tensioning system makes the entire site firmly connected without noise and gaps. Suitable for professional competitions and training.

Aerobic Step

- Model: TQ1016
  Specifications: Trapezoid, 88.5cm in length on the top, 27.5cm in width, 97cm in length in the bottom, 37cm in width, 15cm in overall height.
  Weight: 5.1kg
  Features: The table made of carbon fiber material, smooth appearance and high strength, not easy to deform. It is covered with a special material anti-skid layer and shock absorption layer, noise-free. Effectively protected the bottom plate.

Club Gymnastics

Gymnastics series



Club Parallel Bars

- **Indoor Use For Beginner**
  Model: TQ2407
  1. Bar length: 270cm; bar material: fiberglass with wooden cover, with moisture absorption and good elasticity, which is anti-fracture.
  2. Height is adjustable between 120cm-160cm, with each increment of 5cm. The distance between two bars: 39cm-59cm with no adjustment.
  3. The frame is welded with high-quality seamless steel pipe, the surface is sprayed with plastic, and the lifting rod is galvanized.
  Features: The base is equipped with horizontal trimming device, which is suitable for uneven sites. Equipped with 4 moving wheels, which is easy to move.
- **Outdoor Use For Beginner**
  Model: TQ2407/1
  1. Bar length: 270cm; bar material: fiberglass with nylon cover, which is rain and sun proof,and fracture proof, with good elasticity.
  2. Height is adjustable between 120cm-160cm, with each increment of 5cm. The distance between two bars: 39cm-59cm with no adjustment.
  3. The frame is welded with high-quality seamless steel pipe, the surface is sprayed with plastic, and the lifting rod is galvanized.
  Features: The base is equipped with horizontal trimming device, which is suitable for uneven sites. Equipped with 4 moving wheels, which is easy to move.
- **Indoor Use For Intermediate**
  Model: TQ2408
  1. Bar length: 350cm; bar material: fiberglass with wooden cover, with moisture absorption and good elasticity, which is anti-fracture.
  2. Height is adjustable between 140cm-180cm, with each increment of 5cm. The distance between two bars: 40cm-64cm with no adjustment.
  3. The frame is welded with high-quality seamless steel pipe, the surface is sprayed with plastic, and the lifting rod is galvanized.
  Features: The base is equipped with horizontal trimming device, which is suitable for uneven sites. Equipped with 4 moving wheels, which is easy to move.
- **Outdoor Use For Secondary School**
  Model: TQ2408/1
  1. Bar length: 350cm; bar material: fiberglass with nylon cover, which is rain and sun proof,and fracture proof, with good elasticity.
  2. Height is adjustable between 140cm-180cm, with each increment of 5cm. The distance between two bars: 40cm-64cm with no adjustment.
  3. The frame is welded with high-quality seamless steel pipe, the surface is sprayed with plastic, and the lifting rod is galvanized.
  Features: The base is equipped with horizontal trimming device, which is suitable for uneven sites. Equipped with 4 moving wheels, which is easy to move.
- **Advanced**
  Model: TQ2409
  1. Bar length: 350cm; bar material: fiberglass with wooden cover, with moisture absorption and good elasticity, which is anti-fracture.
  2. Height is adjustable between 160cm-200cm, with each increment of 5cm. The distance between two bars: 40cm-64cm with no adjustment.
  3. The frame is welded with high-quality seamless steel pipe, the surface is sprayed with plastic, and the lifting rod is galvanized.
  Features: The base is equipped with horizontal trimming device, which is suitable for uneven sites. Equipped with 4 moving wheels, which is easy to move.



Club Horizontal Bars

- **Indoor Use For Beginner**

Model: TQ2404
1. Height is adjustable between 200cm-240cm, with each increment of 5cm.
2. Bar diameter: φ2.8cm; length: 240cm.
3. The column is welded by high-quality seamless steel pipe, the surface is processed with chrome plating , the tension system is composed of 4 steel cables with tight rope device.

Features: The anti-fracture design of the bar increases the safety. The bottom is equipped with two round non-slip feet, which has good stability and cushioning and is suitable for primary gymnastics horizontal bar practice.

- **Outdoor Use For Beginner**

Model: TQ2404/1
1. Height is adjustable between 200cm-240cm, with each increment of 5cm.
2. Bar diameter: φ2.8cm; length: 240cm.
3. The column is welded by high-quality seamless steel pipe, the surface is processed with zinc plating. The tension system is composed of 4 stainless steel cables with a tightening rope device. The head is sprayed with plastic and has strong corrosion resistance.

Features: The anti-fracture design of the bar increases the safety. The bottom is equipped with two round non-slip feet, which has good stability and cushioning and is suitable for primary gymnastics horizontal bar practice.

- **Indoor Use For Intermediate**

Model: TQ2405
1. Height is adjustable between 270cm-310cm, with each increment of 5cm.
2. Bar diameter: φ2.8cm; length: 240cm.
3. The column is welded by high-quality seamless steel pipe, the surface is processed with zinc plating, the tension system is composed of 4 steel cables with tight rope device.

Features: The anti-fracture design of the bar increases the safety. The bottom is equipped with two round non-slip feet, which has good stability and cushioning and is suitable for gymnastics horizontal bar practice.

- **Outdoor Use For Intermediate**

Model: TQ2405/1
1. Height is adjustable between 270cm-310cm, with each increment of 5cm.
2. Bar diameter: φ2.8cm; length: 240cm.
3. The column is welded by high-quality seamless steel pipe, the surface is processed with zinc plating. The tension system is composed of 4 stainless steel cables with a tightening rope device. The head is sprayed with plastic and has strong corrosion resistance.

Features: The anti-fracture design of the bar increases the safety. The bottom is equipped with two round non-slip feet, which has good stability and cushioning and is suitable for gymnastics horizontal bar practice.

- **Advanced**

Model: TQ2406
1. Height is adjustable between 275cm-315cm, with each increment of 5cm.
2. Bar diameter: φ2.8cm; length: 240cm.
3. The column is welded by high-quality seamless steel pipe, the surface is processed with zinc plating, the tension system is composed of 4 steel cables with tight rope device.

Features: The anti-fracture design of the bar increases the safety. The bottom is equipped with two round non-slip feet, which has good stability and cushioning and is suitable for professional gymnastics horizontal bar practice.

Club Balance Beam

- Model: TQ0143
  1. Overall length of the beam: 500cm, width: 10cm. The height is adjustable between 105cm-135cm.
  2. The beam is molded by glass fiber material, which has high strength, high elasticity and good buffering performance. The surface is covered with high quality non-slip leather, and the buffer layer is made of special rubber and plastic material.
  3. Bottom frame is welded by high quality metal pipe, the surface is sprayed with plastic.

- Features: The bottom is equipped with 4 non-slip feet, which can be fine-tuned horizontally, with good stability and cushioning, which is suitable for practice of balance beam.

Club Pommel Horse without Rings

- Model: TQ2401
  1. Overall length of the horse: 160cm, width: 35cm, height: 28cm. The body height is adjustable between 95cm-135cm.
  2. The surface is covered with high-quality leather and the buffer layer is XPE material.
  3. Bottom frame is welded by high quality metal pipe, the surface is sprayed with plastic(blue).

- Features: The bottom is equipped with 4 non-slip feet, with good stability and cushioning, which is suitable for primary practice of pommel horse.

Club Pommel Horse

- Model: TQ2402
  1. Overall length of the horse: 160cm, width: 35cm, height: 28cm. The body height is adjustable between 95cm-135cm.
  2. The height of the two rings is 12CM, and the distance is between 45-55CM with no adjustment. The body is covered with high-quality leather and the buffer layer is XPE material.
  3. Bottom frame is welded by high quality metal pipe, the surface is sprayed with plastic.

- Features: The bottom is equipped with 4 non-slip feet, with good stability and cushioning, which is suitable for practice of pommel horse.

Club Vaulting Horse

- Model: TQ2403
  1. Overall length of the horse: 120cm, width: 95cm. The body height is adjustable between 100cm-130cm.
  2. The horse body is molded by glass fiber material, with high strength, large elasticity and good buffering performance. The surface is covered with high-quality leather and the buffer layer is XPE material.
  3. Bottom frame is welded by high quality metal pipe, the surface is sprayed with plastic.

- Features: The bottom is equipped with 4 non-slip feet, which can be fine-tuned horizontally, with good stability and cushioning, which is suitable for practice of vaulting horse.

Children Springboard (Foam)

- Model: TQ0414
  1. Overall size: 77x57x17cm.
  2. The surface layer is covered with carpet and the cushioning layer is made of XPE material.
  3. The elastic system consists of 2 XPE foam.
- Features: The bottom is equipped with 4 non-slip feet, with good stability and cushioning, which is suitable for children's junior gymnastics practice.With Color optional.

Children Springboard (Spring)

- Model: TQ0415
  1. Overall size: 77x57x17cm.
  2. The surface layer is covered with carpet and the cushioning layer is made of XPE material.
  3. The elastic system consists of 4 conical springs.
- Features: The bottom is equipped with 4 non-slip feet, with good stability and cushioning, which is suitable for children's junior gymnastics practice.With Color optional.

Club Springboard (Beginner)

- Model: TQ0410
  1. Overall size: 100x50x19cm.
  2. The surface layer is covered with carpet and the cushioning layer is made of XPE material.
  3. The elastic system consists of the X-type elastic board.
- Features: The bottom is equipped with 4 non-slip feet, with good stability and cushioning, which is suitable for primary school PE teaching and practice use. With Color optional.

Club Springboard (Secondary school)

- Model: TQ0411
  1. Overall size: 120x60x19cm.
  2. The surface layer is covered with carpet and the cushioning layer is made of XPE material.
  3. The elastic system consists of the X-type elastic board and 2 conical springs.
- Features: The bottom is equipped with 4 non-slip feet, with good stability and cushioning, which is suitable for primary and secondary school PE teaching and practice use. With Color optional.

Club Springboard (College)

- Model: TQ0412
  1. Overall size: 120x60x22cm.
  2. The surface layer is covered with carpet and the cushioning layer is made of XPE material.
  3. The elastic system consists of the X-type elastic board and 2 conical springs.
- Features: The bottom is equipped with 4 non-slip feet, with good stability and cushioning, which is suitable for college PE teaching and practice use. With Color optional.

Artistic Floor for Training

- Model: TQ0418
  1.Overall size 14.0mx14.0m;the competition area size 13mX13m;height 0.21m.
  2.The base plate is made of multi-layer high-quality birch plywood splicing,with Velcro connection.2,304 precisely positioned springs are installed at the bottom.The buffer layer is two layers of plastic foam structure through puzzle connection.The structure produces excellent stability, impact resistance and elasticity.
  3.The floor is covered with four tufted carpets, which provides excellent slip resistance and comfort.
- Features: Nylon makes the floor easy to install and remove. The double board provides excellent cracking resistance. The overall structure provides great comfort.The rule line using tape bonding, the size of the competition area can be adjusted.It is suitable for teaching and daily training in schools and clubs.

Trampoline

Gymnastics series

Standard Trampoline

Model: TQ1013

- 1. The main bed frame is welded by a special oval tube of 6.5cm×3.5cm, the size is 520cm×305cm×115cm.
- 2. The mesh size is 426cm×213cm and the material is nylon.
- 3. The spring part is 8 large springs and 110 middle springs. The size of the large spring is φ3.9cm×25.8cm and the size of the middle spring is φ2.9cm×25.8cm.
- 4. The spring part is equipped with a special protective pad. The material is high elastic sponge covered with PVC surface, with a fixed tension system at the bottom to avoid contact with the spring and increase elasticity.
- 5. The size of the auxiliary bed is 175cm×260cm×115cm. The mesh surface is made of polypropylene, one pair per set.
- 6. Suitable for professional competition and training.





Tumbling Board

- Model: TQ2046
  1. The overall size is 1200cm×200cm×20cm .
  2. The surface layer is covered with XPE for the gymnastics, which increases the overall elasticity. The thickness of XPE is 5cm and the thickness of the special blanket is 2.5cm .
  3. The shock absorption system is composed of 200 high-quality springs.

Mini Square Trampoline

- Model: TQ2057A
  1. Main frame size: 110cm×110cm, Mesh size: 65cm×65cm.
  2. The height is 40-50cm adjustable for front end and 40-60cm for rear end.
  3. Equipped with 40 high quality springs, the spring length is 18cm and the diameter is 2.8cm.
- Features: Equipped with wheel, which is easy to move. The height can be adjusted to tilt for jumping, and the level state can be adjusted for warm-up and fitness. The mesh dipping process has high mesh strength, high elasticity, good air permeability, and safer protection pad covering the spring around.

Children Long Trampoline

- Model: TQ2056A
  The overall length: 18m, width: 2.2m, height: 0.6m, and width of net: 1.5m.
  1. The frame part is a high-quality rectangular welded metal pipe, each 2m is a unit, the length can be adjusted arbitrarily, each unit is composed of 64 high-quality springs.
  2. The mesh surface is sewn with imported materials, the specification of the network cable is 2mm*1.5mm, the surface is coated with plastic technology, and the spring area on both sides is covered with 0.03m protective pads.
  3. There are protective pads on both sides of the competition, the width is 0.5m, the height is 0.6m, and the length is the same as the frame.
  4. The landing area is provided with 3m*6m*0.6m floor mat, and 3m*6m*0.1m cushion is added above. (during competition)
  5. The jumping end is equipped with a step.
  Note: (The protective mat for both sides, floor mat, jumping end step, these are optional).

Children Long Trampoline

- Model: TQ2036
  Specification: Width 2.1m, height 0.56m, length 6m,customized size available.
  Weight: Each unit is 2m long and can be infinitely extended.The weight of 2m is 78kg.
  Material: The lower base is welded with high-quality carbon steel pipes and equipped with floor protection feet.
- Features: It adopts a splicing unit module structure, the length can be assembled according to the size of the site, the beam and the base adopt a splicing structure, which is easy to install.The mesh surface is sewn from black nylon mesh and PVC woven fabric.It is equipped with high-strength tensile springs, good elasticity, high stability, and the surface is sprayed with plastic (silver).
  Consists of beam, base, tensile spring and mesh surface.
- Children's Long Trampoline Series

TQ2056/2 3m ;
TQ2056/4 3m (with hooks in the four sides);
TQ2056/10 14m ;
TQ2056/12 8m ;
TQ2056/15 12m ;
TQ2056/24 4.5m
TQ2036/3 4.5m (with hooks in the four sides);
TQ2056/5 6m (with hooks in the four sides);
TQ2056/11 9m;
TQ2036/14 10m;
TQ2056/18 15m;



Inflatable Gymnastics Mat

- Model: TQW038
  Specification: Customizable
- Features: Adopting imported special PVC mesh fabric, using advanced heat sealing and pasting technology, abrasion and flame retardant, good resistance to tearing and drop, good environmental protection and novel appearance. With high- power air pump, fast inflation and long service life.
- Remark: When using, make sure that the ground is flat and free of sharp objects, and keep the power supply unblocked. When cleaning, you can use a soft cloth to wipe with detergent.

Inflatable Slope	Color Option	Size
 Used as the somersault training mat or hand mat, two-color and PVC material with marking line.	●●●●●● ●●●●●●	1.8 × 1.2 × 0.2/0.3m
		1.8 × 1.2 × 0.2/0.65m
		1.2 × 0.9 × 0.1/0.26m
Air Pump	Use with Inflatable Mat.	Select the number of Air Pump according to the number of Inflatable Mat.

Rectangular Inflatable Mat 4	Color Option	Size
 Used to exercise the flexibility and balance of the body, monochrome PVC material.	●●●●●● ●●●●●●	1 × 0.6 × 0.1m
		2 × 0.6 × 0.1m
		4 × 0.6 × 0.1m
		6 × 0.6 × 0.1m
		1 × 0.6 × 0.2m
		2 × 0.6 × 0.2m
		4 × 0.6 × 0.2m
		6 × 0.6 × 0.2m

Round Inflatable Mat 1	Color Option	Size
 Round and double color, PVC material, color optional, for jumping and free movement.	●●●●●● ●●●●●●	φ0.7 × 0.1m
		φ1 × 0.2m
		φ1.4 × 0.3m

Round Inflatable Mat 2	Color Option	Size
 Round and double color, PVC material, color optional, for jumping and free movement.	●●●●●● ●●●●●●	φ0.7 × 0.1m
		φ1 × 0.2m
		φ1.4 × 0.3m

Cylindrical Air Roll	Color Option	Size
 Used to exercise the flexibility and balance of the body, monochrome PVC material.	●●●●●● ●●●●●●	φ0.6 × 1.2m
		φ0.75 × 1.2m
		φ0.9 × 1.2m

Inflatable Mat for Balance Training	Color Option	Size
 Used to exercise the flexibility and balance of the body, two-color PVC material, a sign line in the middle.	●●●●●● ●●●●●●	3 × 0.4 × 0.1m
		5 × 0.4 × 0.1m
		7 × 0.4 × 0.1m

Rectangular Inflatable Mat 1	Color Option	Size
 Used to exercise the flexibility and balance of the body, monochrome PVC material.	●● ●● ●● ●● ●● ●●	2 × 1 × 0.1m
		2 × 1.5 × 0.1m
		2 × 4 × 0.1m
		2 × 6 × 0.1m
		2 × 8 × 0.1m
		2 × 10 × 0.1m
		2 × 14 × 0.1m
		2 × 16 × 0.1m
		2 × 20 × 0.1m
		2 × 1 × 0.2m
		2 × 1.5 × 0.2m
		2 × 4 × 0.2m
		2 × 6 × 0.2m
		2 × 8 × 0.2m
		2 × 10 × 0.2m
		2 × 14 × 0.2m
		2 × 16 × 0.2m
		2 × 20 × 0.2m

Inflatable Mat for Balance Training	Color Option	Size
 Three lines in the length direction, two-color PVC material, used for gymnastics training protection.	●●●●●● ●●●●●●	2*12*0.3m
		2*15*0.3m
		2*20*0.3m

Inflatable Mat for Balance Training	Color Option	Size
Two-color PVC material, used for landing protection of high jump action, flip training.	● ● ● ● ● ● ● ● ● ● ● ●	3*2*0.3m 3*3*0.3m 4*2*0.3m



Parkour Speed Apparatus

Model	Name	Size / m	Product
TQ1020A.01	Step Module	1.9m*2m*1m	
TQ1020A.02	Trapezoid Module with Rails	2.385m*2m*2m	
TQ1020A.03	Three-steps Module	6.6m*2m*2.4m	
TQ1020A.04	Trapezoid Module with Rails 2	4.9m*2m*2.45m	
TQ1020A.05	Module with Rails 1	1.6m*2m*1m	
TQ1020A.06	Module with Rails 2	1m*2m*2.9m	
TQ1020A.07	Balance Beam Obstacle	6.4m*2m*0.5m	
TQ1020A.08	Triangle Module	1.03m*2m*2m	

Safty Zone Obstacles

Model	Name	Size / m	Product
TQ1020A.13	Safty Zone Module 2	2m*2m*0.8m	
TQ1020A.12	Safty Zone Module 1	7m*2m*2m	
TQ1020A.11	Connecting Rails 3	1m*2m*2.8m (from the ground) Setting between Module with Rails	
TQ1020A.10	Connecting Rails 2	2m*2m*2.35m (from the ground) Setting between Module with Rails	
TQ1020A.09	Connecting Rails	0.03m*2m*2.8m (from the ground) Setting between Step modules	

High Platform
56m × 10.208m × 0.8m

Referee Stand
20m × 4m × 2m/2.3m

The dimensions marked in red are in mm.



Parkour Track: Total length: 56m, width: 10.208m, track length44m, track width:2m, safety zone length: 44m, width: 2m.

TSC-Tension Control Sensor Electronic Tensioner

- Model: TCS-01
- Rated range: 10000N;
- Division value: 1N, 2N, 5N, 10N, 20, 50N, 100N;
- Display: 1.3 inch OLED screen, resolution 128×64;
- Buttons: 4 buttons for power, parameter setting and zero setting;
- Indicator lights: 7 indicators respectively indicate the charging progress, working indication and alarm;
- Alarm: Tunable alarm level.When overload or underload, the alarm light flashes and the buzzer buzzes.
- Power supply: 1500mAh lithium battery, charging with USB TYPE-C;
- Safety overload: 120%F.S.
- Operating temperature: -20-60°C.



Tumble Track

- Model: TQ1012

1. The run-up area is 1100 cm in length and is composed of a high-quality composite multilayer birch board and a metal stand.
2. The tumbling area is 2500cm, which is connected by 20 independent units. The elastic part of each unit is connected by 13 pcs of 6cm×2.5cm high-quality fiberglass tubes. The bottom is equipped with a metal bracket and a special rubber buffer device is built in. No noise.
3. The landing area is 300cm×600cm and consists of three 30cm floor mats.
4. The flexible layer is a 6cm XPE foam sponge, the cover layer is a nylon non-woven carpet for gymnastics, and the XPE foam sponge is heat-sealed. The total length is 3600cm.

- Features: The special nylon non-woven carpet has good anti-slip performance. The rectangular fiberglass tube increases the resilience, and it is noiseless and stable. The whole is composed of three parts: run-up area, tumbling area and landing area. The metal parts are silver, and the overlay and floor mats are blue.

Gymnastics Court Pad

- Model: TQ2043

Specifications: Each unit is 200cm in length,115cm in height, and 6cm in thickness.

Features: It adopts a splicing unit module structure. The unit modules are connected by aluminum alloy profiles. The assembly structure is convenient for disassembly and assembly. The length can be assembled according to the size of the site. Inlaid PVC high density waterproof board.





Gymnastics High Platform

- Model: TQ1016A

Specification: Horizontal bar, Uneven bar combination platform is 1800cm×900cm; artistics floor platform is 1800cm×1800cm. balance beam,Pommel horse and ring combination platform is 1800cm×900cm; parallel bars,vaulting horse combination platform is 5400cm×1550cm (special shape).

Material: Multilayer board, high quality metal rectangular tube.

- Features: Adopt independent unit structure, good structure, convenient folding and assembly, minimized packaging volume, this product has obtained national patent.

Referee Platform

- Model: TQ1270/2

Specification: 5000cm×100cm×60/80cm (Double Layer)

Material: Multilayer board, high quality metal rectangular tube, stainless steel guardrail.

Features: Stable structure and easy disassembly.

Side Referee Table

- Model: TQ1270/3

Specification: 160cm×122cm×30cm

Material: Multilayer board, high quality metal rectangular tube.

Features: Stable structure and easy disassembly.



Foam Pit

- Model: TQ2715
  Specification: Customizable
  Bottom structure: XPE thermally synthesized honeycomb structure is used on the bottom layer, and a whole XPE is laid on the XPE, to increase the vacuum function.

- Features: Convenient installation, safe and easy to clean. When using gymnastics equipment, this sponge pit can effectively absorb the magnesium powder, which will prevent the athletes from being hurt.

Embedded Parts

- Underground Embedded Parts
  Model: TQ2069
  Specification: 22cm×22cm×12cm (Adjustable with the board)
  Features: Suitable for wood flooring. The embedded parts are under the wood floor and fixed with expansion screws. A single embedded part can withstand 8000N force without breaking. Installing a cover when not in use ensures that the wooden floor is flush.

- Ground Embedded Parts
  Model: TQ2070
  Specification: 22cm×22cm×8cm
  Features: Suitable for cement floor, embedded parts on the ground, fixed with expansion screws. A single embedded part can withstand 8000N force without breaking.

Small Vaulting Buck

- Model: TQ2090
  Specifications: Goat body is 50cm long, 35cm wide, 28cm high, height adjustment range: 80cm-110cm adjustable,lifting distance is 5cm.
  Weight: 26kg
  Material: The surface of the goat body is covered with special fiber leather, and the built-in body is molded at one time.

- Features: Equipped with a special adjustable locking handle, which can quickly and easily adjust the goat's lifting height. The surface is spray-painted (silver). The whole is composed of a goat body, a riser and a base.

Vaulting Box

- 5 Section Vaulting Box
  Model: TQ2077
  1. The upper surface is covered with a special fiber leather, the built-in body is pine wood board, and the upper part is EVA glued. The dimensions are 125cm in length × 78cm in width × 125cm in height.
  2. The vaulting box is divided into 5 sections, and the frame of each section adopts woodworking tenon technology, and the whole connection is firm.
  Features: High-load-bearing inner tube increases shock absorption and overall comfort. Environmental spray varnish.

- 7 Section Vaulting Box
  Model: TQ2083
  1. The upper end surface is covered with special fiber leather, the built-in body is pine board, and the upper part is covered with EVA. The external dimensions are 150cm×78cm×125cm.
  2. The jumping box is divided into 7 sections, and the frame of each section adopts woodworking tenon technology, and the whole connection is firm.
  Features: High-load bearing inner tube increases shock absorption effect and overall comfort, and the surface is sprayed with eco-friendly varnish.

New Type Vaulting Buck

- Model: TQ2033
  Specification: 80cm×36.5cm×28.8cm, the height of the whole body is 80cm-110cm, and the lifting distance is 5cm.
  Material: The surface of the goat body is made of special fiber leather and molded once. The upper part is covered with a high water-borne sponge. It is equipped with 4 special trimmers, which effectively protects the floor and meets any uneven surface.

- Features: The welded base of the oval tube effectively increases the overall security, and the surface is sprayed with plastic (silver). It consists of a goat head, a column, a base.

Big Vaulting Buck

- Model: TQ2091
  Specification: The goat is 60cm long, 35cm wide, 28cm high, and the overall lifting height is 100cm-140cm.
  Material: The surface of the sheep body is covered with a special fiber leather, and the built-in body is molded at one time.

- Features: Jump assist training equipment. Surface is spraycoated (Silver). The whole is composed of a goat body, a riser and a base.

Wall Bar

- Model: TQ2099
  Specification: 90cm×18cm×280cm
  Material: Made of Pine wood and Manchurian ash wood through mortise and tenon processes, the whole connection is stable.
  Features: Surface is sprayed with eco-friendly varnish.

Double Wall Bar

- Model: TQ2084
  Specification: 180cm×18cm×280cm
  Material: Made of Pine wood and Manchurian ash wood through mortise and tenon processes, the whole connection is stable.
  Features: Surface is sprayed with eco-friendly varnish.

Parallel Handstand Bars

- Model: TQ2057
  Specification: 40cm×23cm×15cm
  Material: Made of Pine wood and Manchurian ash wood through mortise and tenon processes, the whole connection is stable.
  Features: Surface is sprayed with eco-friendly varnish.

Horizontal Bar Handstand

- Model: TQ2058
  Specification: 90cm×23cm×15cm
  Weight: 1.8kg
  Material: Made of Pine wood and Manchurian ash wood through mortise and tenon processes, the whole connection is stable.
  Features: Surface is sprayed with eco-friendly varnish.

Parallel Handstand Bars

(Disassembly)

- Model: TQ2057A
  Specifications: Overall length: 25cm, width: 23cm, height: 12cm, bar diameter: 4cm, bar length: 25cm.
  Features: Disassembly, easy to carry, the bar is made of composite material, anti-slip and anti-fracture.

Horizontal Bar Handstand

(Disassembly)

- Model: TQ2058A
  Specification: 82cm×23cm×12cm
  Weight: 1.5kg
  Material: Made of Pine wood and Manchurian ash wood through mortise and tenon processes, the whole connection is stable.
  Features: Surface is sprayed with eco-friendly varnish.

Soft Folding Balance Beam

- Model: TQ4108
  Specifications: 1. The overall size is 300×10×2.5cm.
  2. The interior is composed of XPE, WITH microfiber leather covered, the surface is comfortable.
  Features: The whole can be folded, equipped with packaging backpack, which is easy to carry and install.

Easy Training Bag

- Easy Training Bag, including three products: TQ4108 Floor-standing balance beam (Collapsible Design), TQ2057A Gymnastics handstand parallel bars(Detachable Design), TQ2058A Gymnastics handstand high bar (Detachable Design).

NEW
TaiShan

Uniaxial Protective Waist Band

- Model: TQ1019 (large)
  Specifications: 1. Inner diameter: 39cm, outer diameter: 42cm.
  2. The ring body is made of aluminum alloy, with a soft belt, the total weight is 3.1 kg.
  Features: With light weight and high strength, it can be two-way rotated at the same time, used in gymnastics, trampoline, skills and diving events.
- Model: TQ1019/1 (small)
  Specifications: 1. Inner diameter: 34cm, outer diameter: 37cm.
  2. The ring body is made of aluminum alloy, with a soft belt, the total weight is 3.1 kg.
  Features: With light weight and high strength, it can be two-way rotated at the same time, used in gymnastics, trampoline, skills and diving events.

NEW
TaiShan

Biaxial Protective Waist Band

- Model: TQ1018 (large)
  Specifications: 1. Inner ring diameter: 42cm, outer ring diameter: 48cm.
  2. The ring body is made of aluminum alloy, with a soft belt, the total weight is 3.5 kg.
  Features: With light weight and high strength, it can be two-way rotated at the same time, used in gymnastics, trampoline, skills and diving events.
- Model: TQ1018/1 (small)
  Specifications: 1. Inner ring diameter: 36cm, outer ring diameter: 42cm.
  2. The ring body is made of aluminum alloy, with a soft belt, the total weight is 3.3 kg.
  Features: With light weight and high strength, it can be two-way rotated at the same time, used in gymnastics, trampoline, skills and diving events.

Springboard Trampoline B

- Model: TQ4129
  Specifications: 1. Overall size: 120cm×100cm, the front end height is 30cm-40cm adjustable.
  2.Sewing with imported mesh material, size: 80cm×60cm, adhesive treatment for surface, with comfortable feet feeling and high overall elasticity.
  3.The frame is welded with high-quality metal round tubes, with 48 springs, diameter: 3.5cm.

Magnesium Holder for Feet

- Model: TQ2267
  Specifications: 45cm×45cm×3cm
  Features: Used for placing magnesium powder, used by athletes to wipe the bottom of the feet, to prevent slipping.

-

Name	Magnesium Powder	
Model	TQW0048	TQW0048/1
Material	Standard Block 15kg/box	Pieces 10kg/box

Magnesium Holder for Hands

- Model: TQW0049
  Specification: 90cm
  Material: The bottom seat is stamped and formed from a high-quality metal plate. The powder box body is molded by glass fiber reinforced plastic at high temperature. It is characterized by high strength, not easy to break, and easy to move.

Wooden Gymnastics Bench

- Model: TQ2042
  Specification: 244cm×23cm×23cm
  Material: Made of Birch wood, thin multi-layered board.

- Feature: Anti-slip rubber covering on each leg. Lightweight for easy and convenient moving. Narrow bottom board can be used for balance beam exercise when turned over. Surface is sprayed with ecofriendly varnish.

Happy Gymnastics

Gymnastics series



Children Gymnastic Equipment Combination A

Model: TQ2060
- Specifications: 461cm×461cm×207cm
- Weight: 193kg（Excluding Mats）
- Features: The overall layout of the equipment is reasonable and the installation stability is high. It is mainly used for children's entertainment and exercise children's physical fitness.



Children Gymnastic Equipment Combination B

- Model: TQ2061

  Specifications: 720cm×330cm×135cm (TQ2005 Children Parallel Bars Qty:1,TQ2008 Horizontal Bar for Kids (A) Qty:1,TQ2012 Uneven Bars for Children Qty:1,TQ2032 Gymnastics Ring for Kids Qty:1.)
- Weight: 203kg

  Features: The overall layout of the equipment is reasonable and the installation stability is high. It is mainly used for children's entertainment and exercise children's physical fitness.

Happy Gymnastics Uneven Bars

- Model: TQ2086

  1.Bar diameter φ4cm,bar length 170cm,the material is high-quality glass fiber reinforced plastic coated wood sheet.

  2.The lifting height of the low bar is adjustable between 95cm-135cm,the lifting height of the high bar is 135cm-195cm,the lifting distance is 5cm,and the width is steplessly adjustable between 26cm-130cm.

- Features: The column is equipped with a special locking lifting handle, which can quickly and quickly adjust the height of the lever surface.The column and the base are connected by a special fastening device to quickly adjust the distance between the lever surfaces.Surface is spraypainted (red).

Happy Gymnastic Horizontal Bar

- Model: TQ2085

  1. Bar face φ4cm, bar length 170cm, made of highquality glass fiber reinforced plastic coated wood sheet.

  2. The lifting height is adjustable between 135cm-195cm, and the lifting distance is 5cm.

- Features: Ensure the safety of the equipment, increase the elasticity of the bar surface, and ensure the overall stability of the horizontal bar, and the surface is sprayed with plastic (red).

Happy Gymnastics Parallel Bars

- Model: TQ2083

  1. Bar face φ4cm, bar length 170cm, the material is high-quality FRP coated wood.

  2. The lifting height is adjustable between 95cm-135cm, the lifting distance is 5cm, and the width is steplessly adjustable between 26cm-130cm.

- Features: The column is equipped with a special locking lifting handle, which can quickly and quickly adjust the height of the lever surface. The column and the base are connected by a special fastening device to quickly adjust the distance between the lever surfaces. Surface is spraypainted (red).

Happy Gymnastic Rings

- Model: TQ2087

  1. Ring φ16cm, the material of the ring is composite wood, which is strong in moisture absorption and water absorption.

  2. The lifting height is adjustable between 115cm-145cm, and the lifting distance is 5cm.

- Features: The two rings are evenly stressed to achieve the best buffering effect, protect children's hand joints from injury, stable structure, and the surface is sprayed with plastic (red).

Happy Children Obstacle Frame

- Model: TQ4875

Drop-shaped Mat

- Model: TQ2701

  Specifications: 90cm×30cm×40cm

  Features: Drop-shaped Mat, High load bearing sponge inner tube.

Children's Springboard

- Model: TQ2040

  Specifications: 76cm×37cm×16cm

  Features: Strong overall elasticity, high stability, high non-slip performance, specially designed for gymnastic beginners, suitable for children's practice.



Children Climbing Pad

- Model: TQ3041
  Specifications: 180cm×180cm× (95cm-133cm)
  Weight: 45kg
  1.The climbing board is fixed by 14 different climbing poles with lock nuts and wooden boards according to certain rules; the climbing board is made of high-quality PVC warp knitted fabric, and the inner tube is XPE and special plywood Adopting special technology for bending.
  2.The climbing board is connected to the bar surface by a hook and loop fastening device, which is used with children's gymnastic equipment.

- Features: This product has good stability, easy installation, comfortable cushion surface, suitable elasticity, suitable for children to climb. Mainly used for children's entertainment, exercise children's physical fitness. Composed of four parts: climbing board, lifting rod, bracket and base, ensuring the overall stability of the equipment.



Children Crawling Net

- Model: TQ3040
  Specifications: 180cm×180cm×95cm
  Weight: 60kg
  1. Crawl net: Staggered by 30 seat belts; Children's crawlers are covered with high-quality PVC warp knitted fabric; Inner tube is XPE and special plywood adopts special process Bonded.
  2. The bracket is integrally welded and formed, and it is connected by special fastening devices, which can be used with children's gymnastic equipment to quickly adjust the mesh tension.
  3. The lifting rod is made of special materials, and the surface is specially treated to ensure the flexibility and rapid adjustment of the lifting process.

- Features: This product has good stability, easy installation, comfortable cushion surface, suitable elasticity, suitable for children to climb. Mainly used for children's entertainment, exercise children's physical fitness. It consists of four parts: the bracket, the lifting rod, the base and the net, which ensures the overall stability of the equipment.



Children's Square Trampoline II

- Model: TQ2078
  1. The main frame of the trampoline is 270cm×270cm in size and adopts a cannula structure. The overall assembly is simple and convenient.
  2. The mesh size is 210cm×210cm. Mesh surface is made of black nylon mesh and PVC woven fabric.
  3. The fence is made of nylon chain link fence with a height of 210cm.

- Features: The main frame is welded by round pipes, with high overall safety performance. The base is equipped with floor protection feet, which can effectively reduce the damage to the site. The mesh surface is sewn from black nylon mesh and PVC woven fabric, with high strength. Tension spring, good overall flexibility, high stability, children's happy gymnastic equipment. The surface is spray-painted (red). The whole is composed of a main frame, a base, a tension spring and a mesh surface.



Name	Tumbler Mat	
Model	TQ4870	TQ4870/1
Specification	100×70×75cm	120×70×90cm
Material	PVC Ashine Weaving Cloth+High Load Sponge	



Children's Square Trampoline

- Model: TQ2057
  1.Trampoline main frame size 135cm×135cm, welded with carbon oval tube;
  2.Mesh size 70cm×70cm, material is nylon braid;
  3.Equipped with quick-adjusting locking device, overall The height is 52cm to 65cm adjustable;
  4.The lifting rod adopts a carbon round tube of φ3.2cm×0.3cm, and the surface is specially treated to ensure the flexibility and rapid adjustment of the lifting process.

- Features: The main frame is welded with elliptical tubes, with high overall safety performance, equipped with floor protection feet, which can effectively reduce damage to the site. The mesh surface is sewn with nylon braided belt, equipped with high-strength tensile springs, and overall elasticity. Good, high stability, the surface adopts plastic spraying process (silver).
  Weight: 30kg.
  The whole trampoline is composed of four parts: the main frame, the base, the tension spring and the mesh surface.

Children's Round Trampoline

- Model: TQ3382
  Specifications: Trampoline main frame φ158cm, 45cm high.
  Features: The main frame is welded and integrated, high overall safety performance, the base is equipped with floor protection feet, which can effectively reduce the damage to the venue, the net surface is black nylon mesh and PVC The woven cloth is sewn and equipped with high-strength tensile spring, which has good overall elasticity and high stability. The surface is spray-painted (silver). The whole trampoline is composed of three parts: the main frame, the tension spring and the mesh surface.

Children's Round Trampoline Periphery Mat

- Model: TQ2839
  Specification: Diameter 1900*700 mm
  Material: PVC Achme Weaving Cloth+
  High Load Sponge

Children's Hexagon Trampoline

- Model: TQ3381
  Specifications: Trampoline main frame with an outer circle of φ187.5cm, 46cm high.

- Features: The main frame is welded and integrated, with high overall safety performance, and the base is equipped with floor protection feet, which can effectively reduce the damage to the venue. Sewn with PVC woven cloth, equipped with high-strength tensile spring, with good overall elasticity and high stability.
  The surface is spray-coated (silver). The whole is composed of three parts: the main frame, the tension spring and the mesh surface.

Double Mini Trampoline

- Model: TQ1015
  Specification: Made of high quality oval steel pipe welded, size: 330 x 190 x 70 cm. Trampoline mesh surface: 292 x 92 cm, made of 6 mm wide woven nylon tape, with 96 quality springs, with the spring protection pad, with 3 non-slip feet pads.

Happy Children Balance Beam

- Model: TQ3377
  1.Specification:4m×0.3/0.2m×0.3m.
  2.Material:Made of high quality PVC warp knitted fabric, non-slip PVC leather and vaulting leather, inner is XPE.

Happy Children Gymnastics Vaulting Box

- Model: TQ3378
  1. Specification:1.2m×1.2m×0.9m/0.4m.
  2. Material:The cover is made of high quality PVC warp knitted fabric and the inner is high loading sponge.

Happy Children Colorful Folding Pad

- Model: TQ4779
  Specification: 305x152x3.2cm

Happy Children's Soft Gymnastics Combination

- Happy Children Gymnastic Ball
  Model: TQ4926
  Specification:φ92cm×φ50cm×92cm

Ninja Series

Gymnastics series



Taishan Ninja Slanted Steps

- Model: TQ2700/1.01
  Specification: 750×610×630mm, a set of 4 pieces, with anti-slip surface.
  Material: PVC leather, woven fabric, inner tube: 50s XPE.
  Weight: 9.5 per piece, Total: 38 kg.



Taishan Ninja Single Barrier

- Model: TQ2700/1.02
  Specification: 1220×600×760mm
  Material: PVC leather, woven fabric, inner tube: 50s XPE.
  Weight: 18.5 kg.



Taishan Ninja Single Bench

- Model: TQ2700/1.03
  Specification: 600×600×370mm, a set of 4 pieces, with anti-slip surface.
  Material: PVC leather, woven fabric, inner tube: 50s XPE.
  Weight: 4.5 per piece, Total: 18 kg.



Taishan Ninja Bench

- Model: TQ2700/1.04
  Specification:1220x508x660mm
  Material: PVC leather, woven fabric, inner tube: 50s XPE.

Taishan Ninja Octagon

- Model: TQ2700/1.05
  Specification: 760×630×630mm
  Material: PVC leather, woven fabric, inner tube: high load sponge.

Taishan Ninja Incline

- Model: TQ2700/1.06
  Specification: 2130×1320×430mm
  Material: PVC leather, woven fabric, inner tube: high load sponge.

Taishan Ninja Folding Incline

- Model: TQ2700/1.07
  Specification: 1220×610×356mm
  Material: PVC leather, woven fabric, inner tube: high load sponge.

Taishan Ninja Balance Beam

- Model: TQ2700/1.08
  Specification: 1820×370×200mm, with anti-slip bottom.
  Material: PVC leather, woven fabric, inner tube: 30s XPE.

Taishan Ninja Cartwheel Mat

- Model: TQ2700/1.09
  Specification: 530×330×130mm
  Material: PVC leather, inner tube: 30s XPE.



Ninja Folding Mat

- Model: TQ2700/1.11
  Specification: 1200×2440×50mm
  Material: PVC leather, woven fabric, inner tube: 30s XPE.

Taishan Ninja Mat

- Model: TQ2700/1.12
  Specification: 1910×1310×200mm
  Material: PVC leather, inner tube: ρ22 sponge.

Taishan Ninja Big Mat

- Model: TQ2700/1.13
  Specification: 2000×1480×300mm
  Material: PVC leather, inner tube: ρ22 sponge.

Taishan Ninja Protection Mat

- Model: TQ2700/1.18
  Specification: 2400×1160×100mm
  Material: PVC leather, inner tube: ρ27.5 sponge.

Taishan Ninja Stepping Stone

- Model: TQ2700/1.14 ,
  Specification: 914x533x635mm
  Material: PVC leather, woven fabric, inner tube: high load sponge.
- Model: TQ2700/1.15
  Specification: 1143×711×889mm
  Material: PVC leather, woven fabric, inner tube: high load sponge.

Taishan Ninja Mailbox

- Model: TQ2700/1.16
  Specification: 823×400×500mm
  Material: PVC leather, woven fabric, inner tube: high load sponge.

Taishan Ninja Jump Box

- Model: TQ2700/1.17
  Specification: 1219×610×625mm, with anti-slip surface.
  Material: PVC leather, woven fabric, inner tube: 30x XPE + high load sponge.

Taishan Ninja Warrior Wall

- Model: TQ2700/1.19
  Specification: 2086×1200×1200mm,
  Material: PVC leather, woven fabric, inner tube: 30x XPE.

Taishan Ninja Warped Wall

- Model: TQ2700/1.20
  Specification: 1829×1067×2163mm
  Material: PVC leather, woven fabric, inner tube: 30x XPE.

Taishan Ninja Table, 3 Piece Design

- Model: TQ2700/1.21
  Specification:1220×762×915mm
  Material: PVC leather, woven fabric, inner tube: 30x XPE.



Taishan Ninja Slanted Steps

- Model: TQ2700/1.22
  Specification: 734×610×650mm, a set of 4 pieces
  (The structure is the same as TQ2700/1.01)
  Material: PVC leather, woven fabric, inner tube: 30x XPE.

Taishan Ninja Cylinder

- Model: TQ2700/1.23
  Specification: φ730×750mm
  Material: PVC leather, woven fabric, inner tube: high load sponge.

Landing Mat

Gymnastics series

Landing Mat

Gymnastics protection mat consists of two types, competition type and training type. The materials of competition type are PVC warp knitting cloth, compressed sponge and XPE; materials of training type are PVC warp knitting cloth, sponge and XPE. The standard color of the mat is blue and customized color is acceptable.

Features of competition-type protection mat: the cover is made of premium PVC warp knitting cloth, it's easy to eliminate air from the holes that designed on the four sides, the lifting handles at the bottom makes it easy to move. With symmetrical structure of XPE and sponge layers inside. All the mats are sticked together with velcro fastening. With good stability, easy installation, comfortable surface, proper elasticity and international standards.

Features of training-type protection mat: made of premium PVC, sponge and XPE. The inner layer is sticked with XPE and sponge. All the mats are sticked together with velcro fastening. it's easy to eliminate air from the holes that designed on the four sides, the lifting handles at the bottom makes it easy to move. With good stability, easy installation, comfortable surface, proper elasticity.

Landing Mat for Pommel Horse (Competition type)

- Model: TQ1504A
  (Apply to composite material)
- Specification: 400cm×400cm×10cm
- Unit size and quantity:
  400cm×200cm×10cm (2 pcs)
- Total area: 16㎡



Landing Mat for Pommel Horse

- Model: TQ1503
  (Apply to composite material)
- Specification: 400cm×400cm×10cm
- Unit size and quantity:
  400cm×200cm×10cm (2 pcs)
- Total area: 16㎡



Landing Mat for Parallel Bars (Competition type)

- Model：TQ1510A
  (Apply to TQ1001B、ZF3016)
- Specification：1120cm×450cm×20cm
- Unit size and quantity:
  200cm×300cm×20cm (2 pcs)
  100cm×125cm×20cm (4 pcs)
  320cm×70cm×20cm (1 pcs)
  190cm×320cm×20cm (2 pcs)
  200cm×100cm×20cm (1 pcs)
- Total area：33.4 ㎡



Landing Mat for Parallel Bars (Training type)

- Model: TQ1509/1 (Apply to TQ2001)
  Specification: 1100cm×450cm×20cm
- Unit size and quantity:
- 200cm×300cm×20cm (2 pcs)
  100cm×125cm×20cm (4 pcs)
  300cm×70cm×20cm (1 pcs)
  300cm×190cm×20cm (2 pcs)
  200cm×100cm×20cm (1 pcs)
- Total area: 32.5 ㎡

Landing Mat for Horizontal Bar (Competition type)

- Model：TQ1511A
  (Apply to TQ1002, ZF3017)
- Specification：1200cm×300cm×20cm
- Unit size and quantity:
  300cm×200cm×20cm (6 pcs)
- Total area：36 ㎡



Landing Mat for Horizontal Bar (Training type)

- Model：TQ1502A
- Specification：1200cm×200cm×20cm
- Unit size and quantity:
  300cm×200cm×20cm (4 pcs)
- Total area：24 ㎡



Landing Mat for Rings (Competition type)

- Model：TQ1514A
  (Apply to TQ1006B、ZF3012)
- Specification：500cm×200cm×20cm
- Unit size and quantity:
  300cm×200cm×20cm (1 pcs)
  200cm×100cm×20cm (2 pcs)
- Total area：10 ㎡

Landing Mat for Rings (Training type)

- Model：TQ1506A
- Specification：600cm×200cm×20cm
- Unit size and quantity:
  300cm×200cm×20cm (1 pcs)
  200cm×150cm×20cm (2 pcs)
- Total area：12 ㎡



Landing Mat for Vaulting Table (Competition type)

- Model: TQ1513A
  (Apply to TQ1005B, JZ1013)
- Specification: 600cm×250cm×20cm
- Unit size and quantity:
  200cm×250cm×20cm (2 pcs)
  100cm×250cm×20cm (2 pcs)
- Total area: 15㎡





Landing Mat for Vaulting Table (Training type)

- Model: TQ1505A
- Specification: 800cm×300cm×20cm
- Unit size and quantity:
  300cm×200cm×20cm (4 pcs)
- Total area: 24㎡



Supplemental Mat for Vaulting Table

- Model: TQ1512A-04
  Specification: 300cm*200cm*30cm



Landing Mats for Uneven Bars (Competition type)

- Model: TQ1512A
- Specification: 1400cm×200cm×20cm
- Unit size and quantity:
  300cm×200cm×20cm (4 pcs)
  200cm×200cm×20cm (1 pcs)
- Total area: 28㎡



Landing Mats for Uneven Bars (Training type)

- Model: TQ1505A
- Specification: 1300cm×200cm×20cm
- Unit size and quantity:
  300cm×200cm×20cm (4 pcs)
  200cm×100cm×20cm (1 pcs)
- Total area: 26㎡



Upper Protection Mats for Trampoline

- Model: TQ1013.01
  Specification: 940cm×308cm×20cm
- Unit size and quantity:
- 300cm×200cm×20cm (2 pcs)
  300cm×40cm×16cm (2 pcs)
  201cm×37cm×5cm (2 pcs)
  175cm×37cm×5cm (4 pcs) with arc edge
  175cm×37cm×5cm (2 pcs)
- Total area: 20㎡



Landing Mats for Trampoline

- Model: TQ1516A
- Specification: 1320cm×690cm×20cm
- Unit size and quantity:
  200cm×300cm×20cm (8 pcs)
  200cm×290cm×20cm (2 pcs)
  200cm×120cm×20cm (2 pcs)
- Total area: 64.4㎡



Pitch Mat

- Model: TQ2508
  Specification: 150cm×100cm×14cm
- Features: The cover material is PVC warp knitting cloth, with good stability, easy installation, comfortable surface, and proper elasticity. Compatible for uneven bars and trampoline.

Landing Mats for Balance Beam (Competition type)

- Model: TQ1515A
  Specification: 1800cm×400cm×20cm
- Unit size and quantity:
- 200cm×200cm×20cm (1 pcs)
  300cm×200cm×20cm (3 pcs)
  100cm×100cm×20cm (4 pcs)
  250cm×200cm×20cm (4 pcs)
  200cm×100cm×20cm (1 pcs)
- Total area: 48㎡



Landing Mats for Balance Beam (Competition type)

- Model: TQ1586
  (Apply to composite material)
- Specification: 1800cm×400cm×20cm
- Unit size and quantity:
  200cm×200cm×20cm (1 pcs)
  300cm×200cm×20cm (3 pcs)
  100cm×100cm×20cm (4 pcs)
  250cm×200cm×20cm (4 pcs)
  200cm×100cm×20cm (1 pcs)
- Total area: 48㎡

Landing Mats for Balance Beam (Training type)

- Model: TQ1507A
- Specification: 1700cm×600cm×20cm
- Unit size and quantity:
  200cm×300cm×20cm (9 pcs)
  200cm×150cm×20cm (4 pcs)
- Total area: 66㎡





TQ1525 Supplemental Mat1# 200cm×200cm×10cm compatible for artistic gymnastics.
TQ1526 Supplemental Mat2# 200cm×300cm×10cm compatible for artistic gymnastics, beams and parallel bars.
TQ1527 Supplemental Mat3# 200cm×400cm×10cm compatible for horizontal bar,rings and beams.
TQ1528 Supplemental Mat4# 200cm×500cm×10cm compatible for uneven bars and horizontal bar.
TQ1529 Supplemental Mat5# 200cm×600cm×10cm compatible for vaulting horse.

Features: Made of premium PVC warp knitting cloth and sponge. Lifting handles make it easy to move. With light sponge filled inside, neither too hard, nor too soft. Wear-resistant, water-proof and durable.



Landing mat

- Model: TQ2751
  Specification: 200cm×300cm×30cm/PVC outer coat and sponge inside

Support Block (Customized Size is Acceptable)

Model	TQ2616	TQ2696
Specification	30cm×30cm×30cm	90cm×70cm×30cm

03

EVENT CASES

Events | Cases Design
100-102 | 103-104

Events & Exhibitions

EVENT CASES

Chengdu 2021 FISU World University Games

The 19th Asian Games Hangzhou 2022

Competition

Artistic Gymnastics Asian Championships
2023

The 17th African Artistic Gymnastics Championships
2023

The 9th Artistic Gymnastics Asian Championships in Qatar
2022

The 31st South East Asian Games
2022

Exhibitions

FSB Cologne in Germany 2023

The 40th China Sport Show 2023

The Canton Fair 2023

The 3rd China International Consumer Products Expo
2023

Gymnasium

Almaty BOP Gymnastic training center 2022

Boulazac Gymnasium in France 2022

Dubai Gymnasium 2022

Abu Dhabi Gymnasium 2022

Almaty Сдюшор 9 gymnastic traning hall 2023

Cases Design

EVENT CASES


Horizontal bar competition area
Referee's seat
Parallel bars competition area
Referee's seat
Vaulting table competition area
Referee's seat
Balance beam competition area
Arbitral seat
Artistic gymnastics competition area
Referee's seat
Referee's seat

Basic Information

- Project Location: Japan
- Project Name: Scene design of the 50th Artistic Gymnastics & the 38th Rhythmic Gymnastics World Championships in Japan

Project Concept

- **Regional Planning**
  In strict accordance with the relevant requirements of the International Federation of Sports, with reasonable spacing, non-interference, all-round comprehensive perspective reasonable planning.
- **Product configuration**
  Breaking down years of technical barriers, all equipment are made of carbon fiber and are all FIG certified.
- **After-sales guarantee**
  In accordance with the 1A requirements of the company, we will provide relevant after-sales support personnel, including technical guidance, product installation, translation team, etc., to ensure the smooth progress of the event.

Basic Information

- Event Location: China
- Event Name: the 2022 "Sports Cup" National Gymnastics Team Championship

Event Concept

- **Venue Equipment**
  High platform, carbon fiber gymnastics equipment, parallel bars, horizontal bars, uneven bars, rings, pommel horse, vaulting table, artistic gymnastics venue, floor exercise venue, certified supplementary MATS, etc.
- **Other Equipment**
  The venue is equipped with lighting, sound, sports display, timing and scoring equipment.
- **Service Guarantee**
  According to the needs of different events, Taishan Sports has configured corresponding professional quality inspection, installation, translation and other guarantee teams to ensure the smooth progress of the event.

The gymnastics equipment is certified by FIG, NSCC, etc., to meet the needs of competitions. The products include a full set of gymnastics equipment, special MATS, trampolines, single springboard, artistic gymnastics venues, aerobics venues, etc. The full set of carbon fiber equipment independently developed also fills the gap in the industry. Taishan Sports has successfully served more than 1,000 major events at home and abroad, including the Olympic Games and the Youth Olympic Games.

Tel: +86 18453178888
WhatsApp: +86 18453178888
Web: www.taishansports.cn
Email: info@taishansports.com
HQ & Factory: No.1 Taishan Tiyu Rd, Laoling,
Dezhou City, Shandong Province. China. 253600

TaiShan Sports

taishansports